



## **ANTENNA SYSTEMS**

Covert • Public Safety • Interoperable • Tactical • Base Station • Rail • Transit

---

**STI-CO INDUSTRIES, INC.**

**PRICE LIST**

**January 1, 2017**

## MODEL NUMBER

## DESCRIPTION LIST PRICE

## List

**COVERT ANTENNAS****Covert Roof Mount Antennas**

SB-VHF-EA	SUPERBAND®, Euro-Style roof mount, 150-174 MHz	448.00
SB-VHF-EAN	SUPERBAND®, Euro-Style roof mount with flexi-whip, 150-174 MHz	448.00
SB-UHF-EA	SUPERBAND®, Euro-Style roof mount, 406-512 MHz**	448.00
DB-VHF/UHF-EA	Dual band, Euro-Style roof mount, 150-174 & 406-512 MHz **	503.00
DB-VHF/7-800-EA	Dual band, Euro-style roof mount, 150-174 & 760-870 MHz	508.00
DB-VHF/7-800-EAN	Dual band, Euro-style roof mount w/flexi-whip, 150-174 & 760-870 MHz	508.00
TB-V/U/C (NEW)	Triband antenna VHF/UHF/CEL for Harris Radio	871.00
CMAG-SB-VHF	SUPERBAND®, magnet roof mount, 150-174 MHz	311.00
CMAG-SB-UHF	SUPERBAND®, magnet roof mount, 380-512 MHz	311.00
CMAG-DB-VHFH/ UHF	Dual band, magnet roof mount, 160-174 & 406-440 MHz*	317.00
CMAG-DB-VHFH/7-800	Dual band, magnet roof mount, 160-174 & 760-896 MHz*	317.00
CPMT-SB-VHF	SUPERBAND®, perm. roof mount w/amplified AM/FM Antenna, 150-174 MHz	453.00
CPMT-SB-VHF-ANT	SUPERBAND®, perm. roof mount, antenna only 150-174 MHz	409.00
CPMT-DB-VHF/UHF	Dual band, perm. roof mount, 150-174 & 406-430 MHz	517.00
CPMT-DB-VHF/7-800	Dual band, perm. roof mount, 150-174 & 760-870 MHz	517.00
CPMT-DB-UHF/7-800	Dual band, perm. roof mount, 406 -440 & 760-870 MHz	517.00
MMAS-BS-SF	Plug 'N Play magnet mount, base only	144.00
MMAS-BSSM	Plug 'N Play magnet mount, base only with male input connector	144.00
BSSF-VHF-M	Plug 'N Play optional portable whip, VHF	55.00
BSSF-UHF-M	Plug 'N Play optional portable whip, UHF	55.00
BSSF-CEL-M	Plug 'N Play optional portable whip, CEL	55.00
SKFN-NB-4.7	Shark fin style roof mount, video, 4.7 GHz	249.00

**Covert Fender Mount Antennas\***

SB-VHF-DS	SUPERBAND®, fender mount, 150-174 MHz	436.00
SB-UHF	SUPERBAND®, fender mount, 406-470 MHz or 450-512 MHz **	436.00
SB-700-DS	SUPERBAND®, fender mount, 764-806 MHz	431.00
NB-HF-DS	Narrow band, fender mount, 27-50 MHz**	363.00
NB-VHF	Narrow band, fender mount, 150-174 MHz**	288.00
NB-UHF	Narrow band, fender mount, 406-512 MHz**	288.00
NB-CEL	Narrow band, fender mount, 806-896 MHz**	337.00
DB-VHF/UHF	Dual band, fender mount, 150-174 & 406-512 MHz**	494.00
DB-VHF/7-800	Dual band, fender mount, 150-174** & 764-870 MHz	494.00

\*To order: Specify year, make, model and trim line of vehicle

\*\* Operating Frequency required

Note: On fender mount models, vehicle designation will be added to model number on invoice.

**Covert Cellular Style Antennas Glass Mount**

GLMT-SB-VHF	SUPERBAND®, 136-174 MHz (sedans only)	258.00
GLMT-SB-VHF-SUV	SUPERBAND®, 150-174 MHz (sport utility vehicles)	258.00
GLMT-SB-UHF	SUPERBAND®, 406-512 MHz (sedans only)	258.00
GLMT-SB-7-800	SUPERBAND®, 760-870 MHz	120.00
GLMT-DB-VHF/UHF	Dual band, 150-174 MHz & 406-512 MHz (sedans only)	356.00
GLMT-DB-VHF/CEL	Dual band, 136-174 MHz & 806-896 MHz (sedans only)	356.00
GLMT-TB-V/U/C	Tri-band, 150-174, 380-512, 760-896 MHz (sedans only)	468.00

MODEL NUMBER	DESCRIPTION LIST PRICE	List
<b>Magnet Mount</b>		
MGNT-SB-VHF	SUPERBAND®, 150-174 MHz	258.00
MGNT-SB-UHF	SUPERBAND®, 400-525 MHz	258.00
MGNT-DB-VHF/UHF	Dual band, 150-174 MHz & 405-420 MHz	254.00
MGNT-SB-VID	SUPERBAND®, 2.4 GHz	258.00
<b>Roof Mount</b>		
ROOF-SB-VHF	SUPERBAND®, 150-174 MHz	258.00
ROOF-SB-UHF	SUPERBAND®, 400-525 MHz	258.00
ROOF-DB-VHF/UHF	Dual band, 150-174 & 406-512MHz, BW 20 MHz **	356.00
ROOF-DB-VHF/CEL	Dual band, 150-174 MHz & 806-896 MHz	317.00
ROOF-DB-UHF/CEL	SUPERBAND®, 406-512 MHz & 806 - 896 MHz**	346.00
<b>Trunk Lip Mount</b>		
TKLP-SB-VHF	SUPERBAND®, 150-174 MHz	258.00
TKLP-SB-UHF	SUPERBAND®, 400-525 MHz	258.00
TKLP-DB-VHF/UHF	Dual band, 150-174 & 406-512 MHz**	356.00
TKLP-DB-VHF/ CEL	Dual band, 150-174 MHz & 806-896 MHz	319.00
TKLP-DB-UHF/CEL	Dual band, 406-512 MHz & 806-896 MHz**	346.00

**\*\*Operating frequency required**

## HIDDEN ANTENNAS

### Concealed Internal Antennas

CCAS-SB-7- 800	"Stinger", SUPERBAND®, 760-896 MHz	87.00
CCAS-DB-CEL/PCS	"Stinger", dual band, 806-896 & 1850-1950 MHz	100.00
BDAS-SB-VHF	Concealed under bumper, 136-174 MHz**	392.00
BDAS-NB-UHF	Concealed under bumper, 406-512 MHz**	392.00
BDAS-NB-4.7	Concealed under bumper, video, 4.4- 4.9 GHz	360.00
CTUN-NB-VHF	Concealed tunable, 150-174 MHz**	239.00
RDCA-SB-VHF	Rear deck, SUPERBAND® 150-174 MHz, sedans only	289.00
RDCA-SB-VHFL	Rear deck, SUPERBAND® 136-160 MHz, sedans only	289.00
RDCA-SB-UHF	Rear deck, SUPERBAND® 406-512 MHz	289.00
RDCA-DB-VHF/UHF	Rear deck, dual band, 150-174 MHz & 406-430 MHz	333.00
RDCA-DB-VHF/7-800	Rear deck, dual band, 150-174 MHz & 746-870 MHz	333.00
RDCA-NB-2.3	Rear deck, video, 2.3 GHz	266.00
RDCA-NB-4.7	Rear deck, video, 4.7 GHz	266.00
BLDE-DB-4G/LTE	Compact blade style, 4G/LTE, 791-862 & 2500-2690 MHz	24.00
PTCH-DB-4G/LTE	Compact patch style, 4G/LTE, 791-862 & 2500-2690 MHz	29.00

### Embedded Antenna System

EMBD-NB-VHF-D	Universal disc style with tuner, 150-174 MHz, BW 2 MHz**	291.00
EMBD-NB-VHF-F	Universal flat style with tuner, 150-174 MHz, BW 2 MHz**	291.00

### Surveillance Van Antenna System

SVAN-1	System with one antenna: VHF, UHF, 806-896 MHz or 2.4 GHz	771.00
SVAN-2	System with any two antennas: VHF, UHF, 806-896 MHz or 2.4 GHz	1074.00
SVAN-3	System with any three antennas: *VHF, UHF, 806-896 MHz or 2.4 GHz	1384.00

**\*Maximum of two VHF antennas with system \*\* Operating frequency required**

## PUBLIC SAFETY ANTENNAS

### Flexi-whip Antennas

MGNT-FT-NITI	Magnet mount, field or factory tuned from 136 MHz-1 GHz	72.00
ROOF-FT-NITI	Roof mount, field or factory tuned from 136 MHz-1 GHz	72.00
TKLP-FT-NITI	trunk lip mount, field or factory tuned from 136 MHz-1 GHz	72.00
WCPL-FT-NITI	Window clip, field or factory tuned from 136 MHz-1 GHz	209.00
ROOF-FT-NITI-M	Flexi-whip mast only, field or factory tuned from 136 MHz-1 GHz	39.00
ROOF-DB-NITI/GPS	Roof mount, field or factory tuned from 136-1000 MHz, plus GPS	155.00
ROOF-NMO/GPS-BASE	Base with GPS only	124.00
BANT-FT-NITI	BNC connector, Nitinol mast for aviation handhelds	31.00
SMANT-FT-NITI	SMA connector, Nitinol mast for aviation handhelds	31.00
SMANT(F)-FT-NITI	SMA female connector, Nitinol mast for VTAB-SF	31.00

### Multi-Band Roof Mount Antennas

RFMT-DB-VHF/7-800	Dual band, dual port roof mount, 150-174, 764-870 MHz	142.00
RFMT-NT-VHF/7-800	Dual band, dual port roof mount, w/ NITI mast, 150-174, 764-870 MHz	139.00
RFMT-NT-UHF/7-800	Dual band, dual port roof mount, w/ NITI mast, 450-480, 760-870 MHz	139.00
RFMT-TB-V/U/C	Tri-band roof mount, single port, 150-174, 406-512, 760-870 MHz	214.00
RFMT-TB-V/U/C-A	Tri-band roof mount, single port antenna only -w/o base, feed-line, conn.	94.00
RFMT-NT-V/U/C	Flexible Tri-band roof mount, single port, 150-174, 406-512, 760-870 MHz	215.00

## INTEROPERABLE ANTENNA SYSTEMS

IOAK-TB-V/U/C	Tri-band base antenna with coupler, 150-174, 380-512 & 760-896 MHz	1262.00
IOAK-QB-A/V/U/C	Quad band base antenna with coupler for above plus 106-130 MHz	1412.00
IOAK-DC- ANT	Interoperable antenna only, 106-1550 MHz	774.00
IOAK-TRIPOD	Optional black tripod stand	206.00
IOAK-CH-STM	Optional black Storm® case	495.00
COUP-V/U/C	Optional multi band coupler only, 150-174, 380-512, 760- 896 MHz	529.00
COUP-A/V/U/C	Optional multi band coupler, 106-130, 150-174, 380-512, 760-896 MHz	661.00
IOAK-GPK-STM	Complete GPS system with Case	1500.00
IOAK-GPK-CS	Storm case with custom foam for GPK	600.00
IOAK-GPK	Custom ground plane kit with radials	750.00

### Interoperable Mobile Antenna

MGNT-TB-V/U/C	Tri-band mobile, magnet mount, 150-174, 380-512, 760-896 MHz	656.00
ROOF-TB-V/U/C	Tri-band mobile, roof mount, 150-174, 380-512, 760-896 MHz	656.00
GLMT-TB-V/U/C	Tri-band mobile, glass mount (sedans) 150-174, 380-512, 760 - 896 MHz	468.00

## TACTICAL ANTENNAS

### Compact Portable Antennas

CPAK-1-VHF	Kit with VHF narrow band antenna, 136-174 MHz**	317.00
CPAK-NB-VHF-A	VHF narrow band antenna only, 136-174 MHz**	221.00
CPAK-1-UHF	Kit with UHF SUPERBAND® antenna, 340-512 MHz	317.00
CPAK-SB-UHF-A	UHF SUPERBAND® antenna only, 340-512 MHz	221.00
CPAK-1-CEL	Kit with 800 MHz SUPERBAND® antenna, 806-896 MHz	317.00
CPAK-SB-CEL-A	800 MHz SUPERBAND® antenna only, 806-896 MHz	221.00
CPAK-DB-VHF/UHF	Kit with dual band antenna, 150-174 & 380-512 MHz	338.00

MODEL NUMBER	DESCRIPTION	LIST PRICE	List
<b>Field Portable Antenna Kits</b>			
FPAK-1-VHF	Kit with one field tunable VHF antenna, 140-174 MHz		1307.00
FPAK-1-UHF	Kit with one UHF antenna, 400-440 MHz		1307.00
FPAK-1-CEL	Kit with one field tunable CEL antenna, 806-896MHz		1307.00

\*\*Operating frequency required

<b>Portable Tactical Repeater Antenna</b>			
BPFN-NB-VHFM	Backpack/briefcase repeater antenna, 162-171 MHz		301.00
VTAB-SF	Handheld vest antenna harness		137.00

## LOW PROFILE RAIL/TRANSIT ANTENNAS

<b>Heavy Duty Low Profile**</b>			
HDLP-NB-HF	Aluminum, narrow band, 30-50 MHz, BW 0.5 MHz		658.00
HDLP-NB-VHF	Cast aluminum, narrow band, 150-174MHz, BW 2.5 MHz		237.00
HDLP-NB-220	Cast aluminum, narrow band, 214-228 MHz, BW 14 MHz		248.00
HDLP-NB-UHF	Cast aluminum, narrow band, 406-512 MHz, BW 20 MHz		156.00

<b>Radome Low Profile</b>			
SRLP-NB- UHF	Radome, narrow band UHF antenna, 406-512 MHz, BW 20 MHz**		112.00
SRLP-SB-CEL	Radome, SUPERBAND® antenna, 806-896 MHz		112.00
SRLP-DB-CEL/GPS	Radome, dual band, 806-896 MHz & GPS		144.00
SRLP-DB-GPS/2.4	Radome, dual band, GPS and 2.4 GHz		147.00

<b>PTC Dual Track Antenna System</b>			
HDLP-MB-PLLG25	Custom, rugged multi-antenna bar system for rail industry***		
RFMT-DB-7-800/PCS	Dual band roof mount for PTC Track System, 693-960 & 1710-2500 MHz		69.00
RFMT-DB-24/58	Roof mount for PTC Dual Track System, 2.4 & 5.8 GHz		83.00
RFMT-NB-GPS	GPS roof mount for PTC Dual Track System, 40 dB gain		137.00

<b>Preselector Filters</b>			
FILT-NB-160-MIL	High power filter, reduces system noise, 160-163 MHz		343.00
FILT-NB-220-MIL	High power filter for PTC, reduces system noise, 220-222 MHz		343.00

<b>High Performance Filters</b>			
FILT-NB-VHF-COM-MF	High performance filter, 160 -163 MHz		336.00
FILT-NB-22-COM-MF	High performance filter, 215-223 MHz		336.00
FILT-NB-UHF-COM-MF	High performance filter, 450-460 MHz		336.00
FILT-HP-7-800-COM- MF	High performance filter, 690-2500 MHz		328.00

\*Call for volume price quote on all rail/transit antennas and filters

\*\*Operating frequency required

\*\*\* Custom bar comes with a wide variety of antennas. Contact customer service with specs for pricing

<b>BASE STATION ANTENNA</b>			
OMNI-DB-7-800/PCS	LTE base station antenna, 760-870 MHz & 1850-1950 MHz		235.00

MODEL NUMBER

DESCRIPTION LIST PRICE

List

## REPAIR / REPLACEMENT PARTS

### Covert Cellular Mount - Replacement Masts

GLMT-SB-VHF-M	Glass mount mast, closed coil, VHF	39.00
GLMT-SB-UHF-M	Glass mount mast, closed coil, UHF	39.00
GLMT-DB-VHF/CEL-M	Glass mount mast, closed coil, VHF/CEL	39.00
GLMT-DB-VHF/UHF-M	Glass mount mast, closed coil, VHF/UHF	39.00

### Interoperable Antennas - Replacement Parts

IOAK-RL	OAK radial long, fixed (ea)	30.00
IOAK-RS	OAK radial short, fixed (ea)	30.00

### Other Repair or Replacement Parts

KIT-002	Spring pin and insulator kit for Covert Cellular Mounts	25.00
KIT-004	Grounding kit for Covert Fender Mount Antennas	25.00
KIT-010	SB base kit for ROOF and TKLP	25.00
KIT-011	Repair/replacement adhesive kit, Glass Mount Rev. A	25.00

**Note: Only most frequently requested repair/replacement parts are listed. Please contact customer service for all other requirements.**

## CUSTOM CABLE KITS

Custom cable kits are available with a variety of cables and connectors. Our prices are competitive and will vary depending on cable type, length, and connector selected. Our customer service will be happy to give you a quote.

**SUPERBAND® is a registered trademark of STI-CO. Industries, Inc.**

**STI-CO® is a registered trademark of STI-CO Industries, Inc.**

**All rights are reserved. ©2017 STI-CO Industries, Inc.**