



**Vertex Standard LMR Price Book: MSRP**

**Updated on 7/11/2017**

**Prices may be subject to change without notice**

**THESE PRICE PAGES DISPLAY MANUFACTURER'S SUGGESTED RETAIL PRICING (MSRP) ONLY. FOR ADDITIONAL PRICING INQUIRIES, CONTACT YOUR RESPECTIVE REGIONAL SALES MANAGER OR CUSTOMER SUPPORT.**

<b>Vertex Standard LMR Price Pages: MSRP</b> <b>Table of Contents</b> <b>7/11/2017</b>
--

TO HAVE A CURRENT PRICE BOOK, YOU SHOULD HAVE THE FOLLOWING DATED PAGES:

	<u>PAGES</u>	<u>DATE</u>
<b>PORTABLES</b>		
VX-261 Models	1-2	7/11/2017
VX-264 Models	3-4	7/11/2017
EVX-261 Models	5-6	7/11/2017
EVX-S24 Models	7-8	7/11/2017
VX-450 Models	9-10	7/11/2017
EVX-530 Models	11-12	7/11/2017
EVX-530 ENHD Models	13-14	7/11/2017
EVX-530 IS Models	15-16	7/11/2017
VX-820 Models	17-18	7/11/2017
VX-920 Models	19-20	7/11/2017
Portable Accessories	21-24	7/11/2017
 <b><u>Trunking Portables</u></b>		
VX-420A Models	25-26	7/11/2017
 <b>MOBILES</b>		
VX-2100 Models	27-28	7/11/2017
VX-2200 Models	29-30	7/11/2017
VX-4500/4600 Models	31-32	7/11/2017
EVX-5300 Models	33-34	7/11/2017
VX-5500 Models	35-36	7/11/2017
VX-6000 Models	37-38	7/11/2017
VXD-7200 Models	39-40	7/11/2017
Mobile Accessories	41-42	7/11/2017
 <b><u>Trunking Mobiles</u></b>		
VX-2200 Models	43-44	7/11/2017
Trunking Mobiles Accessories	45	7/11/2017
 <b><u>P25 Portables</u></b>		
VX-P820 Models	46-47	7/11/2017
VX-P920 Models	48-49	7/11/2017
P25 Portable Accessories	50-51	7/11/2017
 <b><u>P25 Mobiles</u></b>		
VX-7200 Models	52-53	7/11/2017
P25 Mobile Accessories	54	7/11/2017
 <b><u>HFSSB</u></b>		
VX-1700 Models	55	7/11/2017
HFSSB Accessories	56	7/11/2017
 <b><u>Repeaters/Base Stations</u></b>		
VXR-1000 Models	57	7/11/2017
VXR-7000 Models	58	7/11/2017
VXR-9000 Models	59-60	7/11/2017
EVX-R70 Models	61	7/11/2017
EVX-Link	62	7/11/2017
Repeaters/Base Stations Accessories	63	7/11/2017
Legacy Model Accessories	64-65	7/11/2017
Pending Obsolete Accessories	66	7/11/2017

# VX-261 Series

## Portable

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-261 portable Standard Options:**

FNB-V133LI -UNI 1380 mAh Li-Ion Battery

VAC-UNI Universal Rapid Charger (Components: CD-58 & PA-55)

Antenna Selection

Standard 3 Year Warranty



**VX-261**

**Radio Features:**

- 16 Channels
- 2 Programmable Buttons
- 700mW Internal Speaker
- MDC1200 ANI Encode
- Fleetsync® ANI Encode
- DTMF ANI Encode
- 2-Tone Encode and Decode
- 5-Tone Encode and Decode
- CTCSS/DCS Encode and Decode
- Emergency
- Lone Worker
- Multi-Mode Scanning  
(Incl. Dual Watch, Priority, Follow-Me)
- ARTS TM (Auto-Range Transpond System)
- BCLO, BTLO and TOT Functions
- Radio to Radio Cloning
- 3 Year Warranty

**Recommended Accessories:**

**Speaker Microphones**

- MH-360S Compact Speaker Microphone
- MH-450S Standard Speaker Microphone
- MH-45B4B Heavy Duty Public Safety Speaker Mic

**Headsets and Surveillance**

- MH-37A4B-1 Earpiece Mic, Light Duty
- VH-150A IS VOX capable lightweight headset, BTH
- VH-150B IS VOX capable lightweight headset, OTH
- MH100 Rx only Earpiece, 3.5mm for use with MH-450S
- MH-101A4B Single Wire Surveillance Kit
- MH-102A4B Two-Wire Surveillance Kit

**Multi-Unit Charger**

- VAC-6058 MUC Charger

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-261 Series Radio Models</b>						
136-174 MHz	VHF	1-5W	16	<b>AC128N001-VX</b>	VX-261-D0-5	\$ 231.75
403-470 MHz	UHF	1-5W	16	<b>AC128U002-VX</b>	VX-261-G6-5	\$ 231.75
450-512 MHz	UHF	1-5W	16	<b>AC128U001-VX</b>	VX-261-G7-5	\$ 231.75

FCC INFORMATION: AXI11283020 (134-174 MHz) / AXI11284720 (450-512 MHz) / AXI11284620 (403-470MHz)

IC INFORMATION: 10239A-11283020 (134-174 MHz) / 10239A-11284620 (403-470 MHz) 10239A-11284720 (450-512 MHz)

**VX-261 Series****Portable**

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP		
--	--	--

**Battery Choices:**

STDBAT0868AS	STANDARD BATTERY FNB-V133LI-UNI (Uses VAC-UNI charger)	\$	0.00
QA05517AA	ADD: FNB-V134LI-UNI LI-ION BATTERY 2300MAH (Uses VAC-UNI charger)	\$	20.60

**Charger Choices:**

STDCHG0868AA	ADD: VAC-UNI 120V STANDARD CHARGER (for use with FNB-V133LI-UNI& V134LI-UNI)	\$	0.00
QA03678AA	ADD: VAC-UNI 240V EU CHARGER (for use with FNB-V133LI-UNI& V134LI-UNI)	\$	0.00
QA03679AA	DELETE: Charger	\$	(37.08)

**Antenna Choices:**

QA02616AA	ADD: ATV-8A 134-150 MHz Antenna	\$	0.00
QA02458AA	ADD: ATV-8B 150-162 MHz Antenna 6"	\$	0.00
QA03017AA	ADD: ATV-6B 150-162 MHz Antenna 3.5" **Reduced Range Performance**	\$	0.00
QA02457AA	ADD: ATV-8C 162-174 MHz Antenna 6"	\$	0.00
QA03016AA	ADD: ATV-6C 162-174 MHz Antenna 3.5" **Reduced Range Performance**	\$	0.00
QA02684AA	ADD: ATV-6XL VHF Untuned Antenna	\$	0.00
QA02621AA	ADD: ATU-6A 400-430 MHz Antenna	\$	0.00
QA02624AA	ADD: ATU-6D 450-485 MHz Antenna 6" (For G7 Models)	\$	0.00
QA02615AA	ADD: ATU-6DS 450-485 MHz Antenna 3.5"	\$	0.00

**General Options:****Speaker Microphone Choices:**

QA13960AA	ADD: MH-45B4B Noise Cancelling Speaker Microphone	\$	84.46
QA13962AA	ADD: MH-66A4B IP57 Submersible Speaker Microphone	\$	94.76
QA13963AA	ADD: MH-360S Compact Speaker Microphone	\$	21.63
QA13964AA	ADD: MH-450S Medium Duty Speaker Microphone w/ Lapel Clip	\$	27.47

**Programming Option:**

QA02724AA	ADD: Customer Codeplug Factory Programming	\$	50.00
-----------	--	----	-------

**Shipping Option:**

QA03060AA	ADD: Bulk Packaging	\$	0.00
-----------	---------------------	----	------

# VX-264 Series

## Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-264 portable model standard packages include:**

- FNB-V133LI -UNI 1380 mAh Li-Ion Battery
- VAC-UNI Universal Rapid Charger (Components: CD-58 & PA-55)
- Antenna Selection
- Standard 3 Year Warranty



**VX-264**

**Radio Features:**

- 128 Channels
- 6 Programmable Buttons
- 8 Character Alpha Numeric Display
- 700mW Internal Speaker
- MDC1200 Encode/Decode: ANI, Call Alert, Sel Call, Emergency, Radio Check
- Fleetsync® ANI Encode
- DTMF ANI Encode
- 2-Tone Encode and Decode
- 5-Tone Encode and Decode
- CTCSS/DCS Encode and Decode
- Voice Inversion Encryption
- Emergency
- Lone Worker
- Multi-Mode Scanning (Incl. Dual Watch, Priority, Follow-Me and TA Scan)
- ARTS™ (Auto-Range Transpond System)
- Adjustable 1W to 5W Power Output
- BCLO, BTLO and TOT Functions
- Radio to Radio Cloning
- 3 Year Warranty

**Recommended Accessories:**

- Speaker Microphones**
  - MH-360S Compact Speaker Microphone
  - MH-450S Standard Speaker Microphone
  - MH-45B4B Heavy Duty Public Safety Speaker Mic
- Headsets and Surveillance**
  - MH-37A4B-1 Earpiece Mic, Light Duty
  - VH-150A IS VOX capable lightweight headset, BTH
  - VH-150B IS VOX capable lightweight headset, OTH
  - MH100 Rx only Earpiece, 3.5mm for use with MH-450S
  - MH-101A4B Single Wire Surveillance Kit
  - MH-102A4B Two-Wire Surveillance Kit
- Multi-Unit Charger**
  - VAC-6058 MUC Charger

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-264 Series Radio Models</b>						
136-174 MHz	VHF	1-5W	128	AC127N001-VX	VX-264-D0-5	\$ 298.70
403-470 MHz	UHF	1-5W	128	AC127U002-VX	VX-264-G6-5	\$ 298.70
450-512 MHz	UHF	1-5W	128	AC127U001-VX	VX-264-G7-5	\$ 298.70

FCC INFORMATION: AXI11273020 (134-174 MHz) / AXI11274720 (450-512 MHz) / AXI11274620 (403-470MHz)

IC INFORMATION: 10239A-11273020 (134-174 MHz) / 10239A-11274620 (403-470 MHz) 10239A-11274720 (450-512 MHz)

# VX-264 Series

## Portable

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Battery Choices:**

STDBAT0868AS	STANDARD BATTERY FNB-V133LI-UNI (Uses VAC-UNI charger)	\$ 0.00
QA05517AA	ADD: FNB-V134LI-UNI LI-ION BATTERY 2300MAH (Uses VAC-UNI charger)	\$ 20.60

**Charger Choices:**

STDCHG0868AA	ADD: VAC-UNI 120V STANDARD CHARGER (for use with FNB-V133LI-UNI& V134LI-UNI)	\$ 0.00
QA03678AA	ADD: VAC-UNI 240V EU CHARGER (for use with FNB-V133LI-UNI& V134LI-UNI)	\$ 0.00
QA03679AA	DELETE: Charger	\$ (37.08)

**Antenna Choices:**

QA02616AA	ADD: ATV-8A 134-150 MHz Antenna	\$ 0.00
QA02458AA	ADD: ATV-8B 150-162 MHz Antenna 6"	\$ 0.00
QA03017AA	ADD: ATV-6B 150-162 MHz Antenna 3.5" **Reduced Range Performance**	\$ 0.00
QA02457AA	ADD: ATV-8C 162-174 MHz Antenna 6"	\$ 0.00
QA03016AA	ADD: ATV-6C 162-174 MHz Antenna 3.5" **Reduced Range Performance**	\$ 0.00
QA02684AA	ADD: ATV-6XL VHF Untuned Antenna	\$ 0.00
QA02621AA	ADD: ATU-6A 400-430 MHz Antenna	\$ 0.00
QA02624AA	ADD: ATU-6D 450-485 MHz Antenna 6" (For G7 Models)	\$ 0.00
QA02615AA	ADD: ATU-6DS 450-485 MHz Antenna 3.5"	\$ 0.00

**General Options:**

**Speaker Microphone Choices:**

QA13960AA	ADD: MH-45B4B Noise Cancelling Speaker Microphone	\$ 84.46
QA13962AA	ADD: MH-66A4B IP57 Submersible Speaker Microphone	\$ 94.76
QA13963AA	ADD: MH-360S Compact Speaker Microphone	\$ 21.63
QA13964AA	ADD: MH-450S Medium Duty Speaker Microphone w/ Lapel Clip	\$ 27.47

**Programming Option:**

QA02724AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

**Shipping Option:**

QA03060AA	ADD: Bulk Packaging	\$ 0.00
-----------	---------------------	---------

# EVX-261 Series

## Portables

VHF/UHF Models, 12.5 kHz / 25 kHz, Digital/Analog

**EVX-261 portable Standard Options:**

- FNB-V133LI -UNI 1380 mAh Li-Ion Battery
- VAC-UNI Universal Rapid Charger (Components: CD-58 & PA-55)
- Clip-20 Belt Clip
- Antenna Selection
- Standard 3 Year Warranty



**EVX-261**

eVerge™

**Radio Features:**

- 16 Channels
- 2 Programmable Buttons
- 700mW Internal Speaker
- Emergency Alert
- Lone Worker Alert
- Multi-Mode Scanning
- Internal VOX
- ARTS TM (Auto-Range Transpond System)

**Analog Features:**

- MDC1200 ANI Encode
- 2-Tone Encode and Decode
- 5-Tone Encode and Decode
- Remote Stun/Kill/Revive (5-Tone)
- CTCSS/DCS Encode and Decode
- Fleetsync® ANI

**Digital Features:**

- All Call/Group Call /Individual Call
- Transmit Interrupt (Decode Only)
- Dual Capacity Direct Mode
- Basic Privacy

**Recommended Accessories:**

**Speaker Microphones**

- MH-360S Compact Speaker Microphone w/3.5mm Audio Jack
- MH-450S Standard Speaker Microphone w/3.5mm Audio Jack
- MH-66A4B Noise Cancelling Speaker Microphone w/3.5mm Audio

**Headsets and Surveillance**

- MH-37A4B-1 Earpiece Mic, Light Duty
- VH-150A VOX capable lightweight headset, BTH
- VH-150B VOX capable lightweight headset, OTH
- MH100 Rx only Earpiece, 3.5mm
- MH-101A4B Single Wire Surveillance Kit
- MH-102A4B Two-Wire Surveillance Kit
- MH-103A4B Three-Wire Surveillance Kit
- MH-201A4B Heavy Duty Headset

**Multi-Unit Charger**

- VAC-6058 MUC Charger

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>EVX-261 Series Radio Models</b>						
136-174 MHz	VHF	1-5W	16	AC137N001-VX	EVX-261-D0-5	\$ 324.45
403-470 MHz	UHF	1-5W	16	AC137U002-VX	EVX-261-G6-5	\$ 324.45
450-512 MHz	UHF	1-5W	16	AC137U001-VX	EVX-261-G7-5	\$ 324.45

FCC INFORMATION: AXI11373020 (136-174MHz), AXI11374620 (403-470MHz), AXI11374720 (450-512MHz)

IC INFORMATION: 10239A-11373020 (136-174MHz), 10239A-11374620 (403-470MHz), 10239A-11374720 (450-512MHz)

# EVX-261 Series

## Portable

VHF/UHF Models, 12.5 kHz / 25 kHz, Digital/Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Battery Choices:**

STDBAT0868AS	STANDARD BATTERY FNB-V133LI-UNI (Uses VAC-UNI charger)	\$ 0.00
QA05517AA	ADD: FNB-V134LI-UNI LI-ION BATTERY 2300MAH (Uses VAC-UNI charger)	\$ 20.60

**Charger Choices:**

STDCHG0868AA	ADD: VAC-UNI 120V STANDARD CHARGER (for use with FNB-V133LI-UNI& V134LI-UNI)	\$ 0.00
QA03678AA	ADD: VAC-UNI 240V EU CHARGER (for use with FNB-V133LI-UNI& V134LI-UNI)	\$ 0.00
QA03679AA	DELETE: Charger	\$ (37.08)

**Antenna Choices:**

QA02616AA	ADD: ATV-8A 134-150 MHz Antenna	\$ 0.00
QA02458AA	ADD: ATV-8B 150-162 MHz Antenna	\$ 0.00
QA02457AA	ADD: ATV-8C 161-174 MHz Antenna	\$ 0.00
QA02684AA	ADD: ATV-6XL VHF Untuned Antenna	\$ 0.00
QA02621AA	ADD: ATU-6A 400-430 MHz Antenna	\$ 0.00
QA06600AA	ADD: ATU-6B 420-450 MHz Antenna	\$ 0.00
QA06601AA	ADD: ATU-6C 440-470 MHz Antenna	\$ 0.00
QA02624AA	ADD: ATU-6D 450-485 MHz Antenna 6"	\$ 0.00
QA02615AA	ADD: ATU-6DS 450-485 MHz Antenna 3.5"	\$ 0.00
QA06602AA	ADD: ATU-6F 490-512 MHz Antenna	\$ 0.00

**General Options:**

**Speaker Microphone Choices:**

QA13962AA	ADD: MH-66A4B IP57 Submersible Speaker Microphone	\$ 94.76
QA13963AA	ADD: MH-360S Compact Speaker Microphone	\$ 21.63
QA13964AA	ADD: MH-450S Medium Duty Speaker Microphone w/ Lapel Clip	\$ 27.47

**Programming Option:**

QA02724AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

**Shipping Option:**

QA03060AA	ADD: Bulk Packaging	\$ 0.00
-----------	---------------------	---------



# EVX-S24 Series

## Portable

UHF Models, 12.5 kHz / 25 kHz, Digital/Analog

**EVX-S24 portable model standard package includes:**

- FNB-V142LI 2300 mAh Li-Ion Battery
- Charger Selection
- Clip-27 Belt Clip
- Antenna Selection
- Standard 3 Year Warranty



## EVX-S24 eVerge™

**Radio Features:**

- 256 Channels
- 4 Programmable Buttons (3 front, 1 side)
- 500mW Internal Speaker
- Emergency Alert
- Lone Worker Alert
- Multiple Scan Options
- Internal VOX
- ARTS TM (Auto-Range Transpond System)

**Signaling Features:**

- CTCSS/DCS Encode / Decode
- 2-Tone / 5-Tone
- Stun/Kill/Revive (5-tone & DTMF Pager)
- MDC1200® Features
- Fleetsync ANI®

**Analog Features:**

- BTLO
- Voice Inversion Encryption

**Digital Features:**

- All Call/Group Call /Individual Call
- Basic & Enhanced Privacy
- Dual Capacity Direct Mode
- Site Search
- Text Message
- Transmit Interrupt (Decode Only)

**Recommended Accessories:**

**Speaker Microphones**

- MH-90A4B Compact Speaker Microphone
- MH-66F4B IP57 Submersible Speaker Microphone

**Headsets and Surveillance**

- MH-89A4B Earpiece Microphone
- VH-190 VOX Lightweight Headset, BTH

**Multi-Unit Charger**

- VAC-6066 Multi Unit Charger

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>EVX-S24 Series Radio Models</b>						
403-470 MHz	UHF	1-3W	256	AC146U002-VX	EVX-S24-G6-3 Black	\$ 364.62
403-470 MHz	UHF	1-3W	256	AC146U012-VX	EVX-S24-G6-3 Yellow	\$ 364.62

FCC INFORMATION: AXI11464620 (403-470MHz)

IC INFORMATION: 10239A-11464620 (403-470 MHz)

# EVX-S24 Series

## Portable

UHF Models, 12.5 kHz / 25 kHz, Digital/Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Battery Choices:**

QA13969AA	STANDARD BATTERY FNB-V142LI Li-Ion Battery 2300 mAh	\$ 0.00
-----------	---	---------

**Charger Choices:**

QA13972AA	ADD: CD-65 Single Unit Charger with Standard Charging Cradle (US)	\$ 0.00
QA13973AA	ADD: CD-65 Single Unit Charger with Standard Charging Cradle (EU)	\$ 0.00
QA13110AA	ADD: PA-57B Micro USB AC Charger w/ Enhanced Charging Cradle (US)	\$ 20.6
QA13111AA	ADD: PA-57C Micro USB AC Charger w/ Enhanced Charging Cradle (US)	\$ 20.6
QA13974AA	ADD: Micro USB AC Charger Only (US)	\$ 0.00
QA13975AA	ADD: Micro USB AC Charger Only (EU)	\$ (35.02)
QA13977AA	DELETE: Charger	

**Antenna Choices:**

QA13980AA	ADD: ATU-20AS ANTENNA 400-430 MHZ, STUBBY, 3.2"	\$ 0.00
QA13987AA	ADD: ATU-20CS ANTENNA 420-450 MHZ, STUBBY, 3.2"	\$ 0.00
QA13981AA	ADD: ATU-20DS ANTENNA 440-470 MHZ, STUBBY, 3.2"	\$ 0.00
QA13982AA	ADD: ATU-20FS ANTENNA 450-480 MHZ, STUBBY, 3.2"	\$ 0.00

**Speaker Mic Choices:**

QA13978AA	ADD: MH-90A4B COMPACT SPEAKER MICROPHONE	\$ 32.96
-----------	--	----------

**General Options:**

**Programming Option:**

QA02724AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

**Shipping Option:**

QA03060AA	ADD: Bulk Packaging	\$ 0.00
-----------	---------------------	---------

# VX-450 Series

## Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-450 portable model standard packages include:**

- FNB-V133LI-UNI - 1380 mAh Li-ion Battery
- VAC-UNI Universal Rapid Charger (Components: CD-58 & PA-55)
- Antenna Selection
- I.S. Option: FNB-V113LIIS (Uses VAC-450 or VAC-6450 charger)
- Standard 3 Year Warranty



VX-451

VX-454

VX-459

**Radio Features:**

- Adjustable 0.25W to 5W Power Output
- 512 Chan/32 Groups (W/LCD)-32 Chan/2 Groups (W/O LCD)
- 8 Character Alphanumeric Display (VX-454/459)
- 9 Programmable Keys (VX-459), 7 (VX-454) or 3 (VX-451)
- Embedded MDC-1200 Encode/Decode
- Channel Announcement
- Voice Inversion Scrambling
- Emergency Function
- Manual on/off encryption activation
- DTMF ANI / Speed Dial / Paging
- CTCSS/DCS Encode/Decode
- Stun/Kill/Revive (5-Tone)
- Compander / Clear Voice / Whisper
- Priority Scan, Dual Watch, Follow me, Talk Around Scan Modes
- Radio to Radio Cloning (Also with Portable <-> Mobile Cloning)
- IP57 Rating
- MIL-STD 810 C/D/E/F/G
- BCLO, BTLO and TOT Functions
- Programmable LED Color Alert
- Optional Voice Storage

**Recommended Accessories:**

**Speaker Microphones**

- MH-360S Compact Speaker Microphone
- MH-450S Standard Speaker Microphone
- MH-45B4B Heavy Duty Public Safety Speaker Mic
- MH-66A4B IP57 Submersible Speaker Mic

**Headsets and Surveillance**

- VH-110S Over the head Heavy Duty Dual-Muff Headset
- VH-115S Lightweight Headset with Boom Mic
- VH-215S Over the head Single Muff Headset
- VH-120S Earpiece Mic w/Palm PTT
- VH-130S Earpiece w/palm mic and PTT
- MH-37A4B-1 Earpiece Mic, Light Duty
- VH-150A IS VOX capable lightweight headset, BTH
- VH-150B IS VOX capable lightweight headset, OTH

**Multi-Unit Charger**

- VAC-6450 6 Unit Rapid Charger (Use FNB-V112
- Option E and FNB-V113 Only)

- DVS-8 Digital Voice Storage Unit

- DVS-9 Mandown & Voice Storage Unit

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-451 Radio Models</b>						
136-174 MHz	VHF	0.25-5W	32	AC095N101-VX	VX-451-D0	\$ 329.60
400-470 MHz	UHF	0.25-5W	32	AC095U102-VX	VX-451-G6	\$ 329.60
450-512 MHz	UHF	0.25-5W	32	AC095U101-VX	VX-451-G7	\$ 329.60
<b>VX-454 Radio Models</b>						
136-174 MHz	VHF	0.25-5W	512	AC094N102-VX	VX-454-D0	\$ 391.40
400-470 MHz	UHF	0.25-5W	512	AC094U104-VX	VX-454-G6	\$ 391.40
450-512 MHz	UHF	0.25-5W	512	AC094U102-VX	VX-454-G7	\$ 391.40
<b>VX-459 Radio Models</b>						
136-174 MHz	VHF	0.25-5W	512	AC094N101-VX	VX-459-D0	\$ 453.20
400-470 MHz	UHF	0.25-5W	512	AC094U103-VX	VX-459-G6	\$ 453.20
450-512 MHz	UHF	0.25-5W	512	AC094U101-VX	VX-459-G7	\$ 453.20

FCC INFORMATION: K6610943020 (134-174 MHz) / K6610944620 (403-470 MHz) / K6610944720 (450-512 MHz)

# VX-450 Series

## Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Battery Choices:**

STDBAT0868AS	STANDARD BATTERY FNB-V133LI-UNI (Uses VAC-UNI charger)	\$ 0.00
QA03680AA	ADD: FNB-V134LI-UNI LI-ION BATTERY 2300MAH (Uses VAC-UNI charger)	\$ 30.90
QA02461AA	ADD: FNB-112LI 1140 mAh Li-Ion Battery (Uses VAC-450 charger)	\$ 8.58
QA02462AA	ADD: FNB-V113LI 2300 mAh Li-Ion Battery (Uses VAC-450 charger)	\$ 39.48
QA03904AA*	ADD: FNB-113LIIS 2300 MAH LI-ION I.S. BATTERY (Uses VAC-450 charger)	\$ 87.55
QA04954AA	ADD: FNB-V134LIIS-UNI LI-ION I.S. BATTERY 2300MAH (REQUIRES UNI CHARGER)	\$ 87.55

**Charger Choices:**

STDCHG0868AA	ADD: VAC-UNI 120V STANDARD CHARGER (Use FNB-V133 and FNB-V134)	\$ 0.00
QA03678AA	ADD: VAC-UNI 240V EU CHARGER (Use FNB-V133 and FNB-V134)	\$ 0.00
QA02598AA	ADD: VAC-450B Rapid Rate Charger (Use FNB-V112 and FNB-V113)	\$ 0.00
QA02642AA	ADD: VAC-450C 240V CHARGER POWER SUPPLY (Use FNB-V112 & FNB-V113)	\$ 0.00
QA02597AA	DELETE: Charger	\$ (37.08)

**Antenna Choices:**

QA02460AA	ADD: ATV-16A 136-150 MHz Antenna	\$ 0.00
QA02463AA	ADD: ATV-16B 150-162 MHz Antenna	\$ 0.00
QA02478AA	ADD: ATV-16C 162-174 MHz Antenna	\$ 0.00
QA02618AA	ADD: ATV-16XL VHF Untuned Antenna	\$ 0.00
QA02466AA	ADD: ATU-16B 400-420 MHz Antenna	\$ 0.00
QA03039AA	ADD: ATU-16BS 400-430MHz (Stubby)	\$ 0.00
QA02467AA	ADD: ATU-16C 420-450 MHz Antenna	\$ 0.00
QA02464AA	ADD: ATU-16D 450-470 MHz Antenna	\$ 0.00
QA03040AA	ADD: ATU-16DS 450-490MHz (Stubby)	\$ 0.00
QA02465AA	ADD: ATU-16F 470-512 MHz Antenna	\$ 0.00

**General Options:**

**LTR Option:**

QA03066AA	ADD: LTR TRUNKING	\$ 67.00
-----------	-------------------	----------

**Speaker Microphone Choices:**

QA13960AA	ADD: MH-45B4B Noise Cancelling Speaker Microphone	\$ 84.46
QA13962AA	ADD: MH-66A4B IP57 Submersible Speaker Microphone	\$ 94.76
QA13963AA	ADD: MH-360S Compact Speaker Microphone	\$ 21.63
QA13964AA	ADD: MH-450S Medium Duty Speaker Microphone w/ Lapel Clip	\$ 27.47

**Programming Option:**

QA02724AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

**Shipping Option:**

QA03060AA	ADD: Bulk Packaging	\$ 0.00
-----------	---------------------	---------

# EVX-530 Series

## Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Digital/Analog

**EVX-531 portable model standard packages include:**

- FNB-V133LI - 1380 mAh Li-ion Battery
- VAC-UNI Universal Rapid Charger (Components: CD-58 & PA-55)
- VHF or UHF Antenna Selection
- CLIP-20 Belt Clip
- Standard 3 Year Warranty



**EVX-531**

**EVX-539**



**Radio Features:**

- 5W Power Output
- 32 Channels/2 Groups
- 3 Programmable Buttons
- IP57 Rating
- Programmable Tri-Color Custom LED Alert
- Comander / Clear Voice / Whisper
- Channel Announcement

**Digital & Analog Features:**

- Mixed Mode Scan
- Emergency
- Priority Scan, Dual Watch, Follow me, Talk Around Scan Modes
- Lone Worker
- PTT ID Encode
- BCLO, BTLO and TOT Functions
- Key Lock
- Remote Monitor

**Digital Only Features:**

- All Call, Group Call, Individual Call
- Escalart

**Analog Only Features:**

- Embedded MDC-1200 Encode
- CTCSS/DCS Encode/Decode
- 2 Tone Encode/Decode

**Recommended Accessories:**

**Speaker Microphones**

- MH-360S Compact Speaker Microphone
- MH-450S Standard Speaker Microphone
- MH-66A4B IP57 Submersible Speaker Mic

**Headsets and Surveillance**

- MH-37A4B-1 Earpiece Mic, Light Duty
- VH-150A IS VOX capable lightweight headset, BT
- VH-150B IS VOX capable lightweight headset, OT
- MH100 Rx only Earpiece, 3.5mm for use with MH
- MH-101A4B Single Wire Surveillance Kit
- MH-102A4B Two-Wire Surveillance Kit

**Multi-Unit Charger**

- VAC-6058 MUC Charger

**EVX-539 Legacy Display Model Cancellation**

Effective upon depletion of inventory, the EVX-539 legacy display models will no longer be available for purchase. For replacement models and additional details, refer to [VSOL > Resource Center > Product Information > Cancellations](#)

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>EVX-531 Radio Models</b>						
136-174 MHz	VHF	0.25-5W	32	AC113N001-VX	EVX-531-D0-5 VHF 136-174 MHZ	\$ 430.00
403-470 MHz	UHF	0.25-5W	32	AC113U002-VX	EVX-531-G6-5 UHF 403-470 MHZ	\$ 430.00
450-512 MHz	UHF	0.25-5W	32	AC113U001-VX	EVX-531-G7-5 UHF 450-512 MHZ	\$ 430.00
<b>EVX-539 Radio Models</b>						
136-174 MHz	VHF	0.25-5W	512	AC115N002-VX	EVX-539-D0-5 VHF 136-174 MHZ	\$ 556.20

FCC INFORMATION: EVX-531 Models AXI11133020 (136-174 MHz) / AXI11134620 (403-470 MHz) / AXI11134720 (450-512 MHz) EVX-534/539 Models AXI11153020 (136-174 MHz) / AXI11154620 (403-470 MHz) , IC Info: EVX-531 Models: 10239A-11133020(136-174 MHz)/10239A-11134620(403-470 MHz)/10239A-11134720(450-512 MHz) EVX-534/539 Models: 10239A-11153020(136-174 MHz)/10239A-11154620 (403-470 MHz)

# EVX-530 Series

## Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Digital/Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Battery Choices:**

STDBAT0868AE	ADD: FNB-V133LI-UNI LI-ION BATTERY 1380MAH	\$ 0.00
QA03680AA	ADD: FNB-134LI-UNI LI-ION BATTERY 2300MAH	\$ 30.90

**Charger Choices:**

STDCHG0868AA	ADD: VAC-UNI-B Universal Rapid Rate Charger	\$ 0.00
QA03678AA	ADD: VAC-UNI-C Universal 240V EU CHARGER	\$ 0.00
QA03679AA	DELETE: Charger	\$ (37.08)

**Antenna Choices:**

QA02460AA	ADD: ATV-16A 136-150 MHz Antenna	\$ 0.00
QA02463AA	ADD: ATV-16B 150-162 MHz Antenna	\$ 0.00
QA02478AA	ADD: ATV-16C 162-174 MHz Antenna	\$ 0.00
QA02618AA	ADD: ATV-16XL VHF Untuned Antenna	\$ 0.00
QA02466AA	ADD: ATU-16B 400-420 MHz Antenna	\$ 0.00
QA03039AA	ADD: ATU-16BS 400-430MHz (Stubby)	\$ 0.00
QA02467AA	ADD: ATU-16C 420-450 MHz Antenna	\$ 0.00
QA02464AA	ADD: ATU-16D 450-470 MHz Antenna	\$ 0.00
QA03040AA	ADD: ATU-16DS 450-490MHz (Stubby)	\$ 0.00
QA02465AA	ADD: ATU-16F 470-512 MHz Antenna	\$ 0.00

**General Options:**

**Speaker Microphone Choices:**

QA13962AA	ADD: MH-66A4B IP57 Submersible Speaker Microphone	\$ 94.76
QA13963AA	ADD: MH-360S Compact Speaker Microphone	\$ 21.63
QA13964AA	ADD: MH-450S Medium Duty Speaker Microphone w/ Lapel Clip	\$ 27.47

**Programming Option:**

QA02724AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

**Shipping Option:**

QA03060AA	ADD: Bulk Packaging	\$ 0.00
-----------	---------------------	---------

# EVX-530 Series Enhanced Display Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Digital/Analog

**EVX-534/539 portable model standard packages include:**

- FNB-V133LI - 1380 mAh Li-ion Battery
- VAC-UNI Universal Rapid Charger (Components: CD-58 & PA-55)
- VHF or UHF Antenna Selection
- CLIP-20 Belt Clip
- Standard 3 Year Warranty

**Radio Features:**

- 5W Power Output
- 512 Channels/32 Groups
- 7/9 Programmable Buttons
- IP57 Rating
- Channel Announcement

**Digital & Analog Features:**

- Mixed Mode Scan
- Emergency
- Priority Scan, Dual Watch, Follow me, Talk Around Scan Modes
- Lone Worker
- PTT ID Encode/Decode
- BCLO, BTLO and TOT Functions
- Key Lock
- DTMF Encode
- Remote Monitor

**Digital Only Features:**

- All Call, Group Call, Individual Call
- Text Messaging
- Direct/Dual Capacity Mode
- Transmit Interrupt
- Basic/Enhanced Privacy
- 256 bit AES Enhanced Encryption
- Site Roaming
- 128 Record Contact List

**Analog Only Features:**

- Embedded MDC-1200 Encode/Decode
- CTCSS/DCS Encode/Decode
- 2 Tone Encode/Decode
- 5 Tone Encode/Decode
- DTMF Paging (EVX-539)
- Remote Stun/Kill/Revive (5-Tone)



**EVX-534**

**EVX-539**



**Recommended Accessories:**

**Speaker Microphones**

- MH-360S Compact Speaker Microphone
- MH-450S Standard Speaker Microphone
- MH-66A4B IP57 Submersible Speaker Mic

**Headsets and Surveillance**

- MH-37A4B-1 Earpiece Mic, Light Duty
- VH-150A IS VOX capable lightweight headset, BTH
- VH-150B IS VOX capable lightweight headset, OTH
- MH100 Rx only Earpiece, 3.5mm for use with MH-450S
- MH-101A4B Single Wire Surveillance Kit
- MH-102A4B Two-Wire Surveillance Kit

**Multi-Unit Charger**

- VAC-6058 MUC Charger

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>EVX-534 Radio Models</b>						
136-174 MHz	VHF	0.25-5W	512	<b>AC129N001-VX</b>	EVX-534-D0-5 VHF 136-174 MHZ	\$ 493.00
403-470 MHz	UHF	0.25-5W	512	<b>AC129U002-VX</b>	EVX-534-G6-5 UHF 403-470 MHZ	\$ 493.00
450-512 MHz	UHF	0.25-5W	512	<b>AC129U001-VX</b>	EVX-534-G7-5 UHF 450-512 MHZ	\$ 493.00
<b>EVX-539 Radio Models</b>						
136-174 MHz	VHF	0.25-5W	512	<b>AC129N002-VX</b>	EVX-539-D0-5 VHF 136-174 MHZ	\$ 536.00
403-470 MHz	UHF	0.25-5W	512	<b>AC129U004-VX</b>	EVX-539-G6-5 UHF 403-470 MHZ	\$ 536.00
450-512 MHz	UHF	0.25-5W	512	<b>AC129U003-VX</b>	EVX-539-G7-5 UHF 450-512 MHZ	\$ 536.00

FCC INFORMATION: EVX-534/539 Models AXI11153020 (136-174 MHz) / AXI11154620 (403-470 MHz) / AXI11154720 (450-512 MHz)

IC Info: EVX-534/539 Models: 10239A-11153020(136-174 MHz)/10239A-11154620 (403-470 MHz)/10239A-11154720 (450-512 MHz)

# EVX-530 Series Enhanced Display

## Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Digital/Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Battery Choices:**

STDBAT0868AE	ADD: FNB-V133LI-UNI LI-ION BATTERY 1380MAH	\$ 0.00
QA03680AA	ADD: FNB-134LI-UNI LI-ION BATTERY 2300MAH	\$ 30.90

**Charger Choices:**

STDCHG0868AA	ADD: VAC-UNI-B Universal Rapid Rate Charger	\$ 0.00
QA03678AA	ADD: VAC-UNI-C Universal 240V EU CHARGER	\$ 0.00
QA03679AA	DELETE: Charger	\$ (37.08)

**Antenna Choices:**

QA02460AA	ADD: ATV-16A 136-150 MHz Antenna	\$ 0.00
QA02463AA	ADD: ATV-16B 150-162 MHz Antenna	\$ 0.00
QA02478AA	ADD: ATV-16C 162-174 MHz Antenna	\$ 0.00
QA02618AA	ADD: ATV-16XL VHF Untuned Antenna	\$ 0.00
QA02466AA	ADD: ATU-16B 400-420 MHz Antenna	\$ 0.00
QA03039AA	ADD: ATU-16BS 400-430MHz (Stubby)	\$ 0.00
QA02467AA	ADD: ATU-16C 420-450 MHz Antenna	\$ 0.00
QA02464AA	ADD: ATU-16D 450-470 MHz Antenna	\$ 0.00
QA03040AA	ADD: ATU-16DS 450-490MHz (Stubby)	\$ 0.00
QA02465AA	ADD: ATU-16F 470-512 MHz Antenna	\$ 0.00

**General Options:**

**Speaker Microphone Choices:**

QA13962AA	ADD: MH-66A4B IP57 Submersible Speaker Microphone	\$ 94.76
QA13963AA	ADD: MH-360S Compact Speaker Microphone	\$ 21.63
QA13964AA	ADD: MH-450S Medium Duty Speaker Microphone w/ Lapel Clip	\$ 27.47

**Programming Option:**

QA02724AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

**Shipping Option:**

QA03060AA	ADD: Bulk Packaging	\$ 0.00
-----------	---------------------	---------



# EVX-530 Series Intrinsically Safe

## Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Digital/Analog

**EVX-530 IS portable model standard packages include:**

- FNB-V134LIIS - 2300 mAh I.S. Li-ion Battery
- VAC-UNI Universal Rapid Charger (Components: CD-58 & PA-55)
- VHF or UHF Antenna Selection
- CLIP-20 Belt Clip
- Standard 3 Year Warranty



**EVX-531    EVX-534    EVX-539**



**Radio Features:**

- 5W Power Output
- 32 Channels/2 Groups
- 3 Programmable Buttons
- IP57 Rating
- Programmable Tri-Color Custom LED Alert
- Compander / Clear Voice / Whisper
- Channel Announcement

**Digital & Analog Features:**

- Mixed Mode Scan
- Emergency
- Priority Scan, Dual Watch, Follow me, Talk Around Scan Modes
- Lone Worker
- PTT ID Encode
- BCLO, BTLO and TOT Functions
- Key Lock
- Remote Monitor

**Digital Only Features:**

- All Call, Group Call, Individual Call
- Escalart

**Analog Only Features:**

- Embedded MDC-1200 Encode
- CTCSS/DCS Encode/Decode
- 2 Tone Encode/Decode

**Recommended Accessories:**

- Speaker Microphone
- MH-66A4B IP57 Submersible Speaker Mic

PRODUCT DETAILS		NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	--	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>EVX-531 Radio Models</b>						
136-174 MHz	VHF	0.25-5W	32	AC113N021-VX	EVX-531-D0-5 VHF 136-174 MHz Intrinsically Safe	\$ 519.00
403-470 MHz	UHF	0.25-5W	32	AC113U022-VX	EVX-531-G6-5 UHF 403-470 MHz Intrinsically Safe	\$ 519.00
450-512 MHz	UHF	0.25-5W	32	AC113U021-VX	EVX-531-G7-5 UHF 450-512 MHz Intrinsically Safe	\$ 519.00
<b>EVX-534 Radio Models</b>						
136-174 MHz	VHF	0.25-5W	512	AC115N021-VX	EVX-534-D0-5 VHF 136-174 MHz Intrinsically Safe	\$ 560.00
403-470 MHz	UHF	0.25-5W	512	AC115U022-VX	EVX-534-G6-5 UHF 403-470 MHz Intrinsically Safe	\$ 560.00
450-512 MHz	UHF	0.25-5W	512	AC115U021-VX	EVX-534-G7-5 UHF 450-512 MHz Intrinsically Safe	\$ 560.00
<b>EVX-539 Radio Models</b>						
136-174 MHz	VHF	0.25-5W	512	AC115N022-VX	EVX-539-D0-5 VHF 136-174 MHz Intrinsically Safe	\$ 603.00
403-470 MHz	UHF	0.25-5W	512	AC115U024-VX	EVX-539-G6-5 UHF 403-470 MHz Intrinsically Safe	\$ 603.00
450-512 MHz	UHF	0.25-5W	512	AC115U023-VX	EVX-539-G7-5 UHF 450-512 MHz Intrinsically Safe	\$ 603.00

FCC INFORMATION: EVX-531 Models AXI11133020 (136-174 MHz) / AXI11134620 (403-470 MHz) / AXI11134720 (450-512 MHz) EVX-534/539 Models AXI11153020 (136-174 MHz) / AXI11154620 (403-470 MHz) / AXI11154720 (450-512 MHz)  
 IC Info: EVX-531 Models: 10239A-11133020(136-174 MHz)/10239A-11134620(403-470 MHz)/10239A-11134720(450-512 MHz) EVX-534/539 Models: 10239A-11153020(136-174 MHz)/10239A-11154620 (403-470 MHz)/10239A-11154720 (450-512 MHz)

# EVX-530 Series Intrinsically Safe

## Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Digital/Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Battery Choices:**

QA04678AA	ADD: FNB-V134LIIS- LI-ION I.S. BATTERY 2300MAH	\$	0.00
-----------	--	----	------

**Charger Choices:**

STDCHG0868AA	ADD: VAC-UNI-B Universal Rapid Rate Charger	\$	0.00
QA03678AA	ADD: VAC-UNI-C Universal 240V EU CHARGER	\$	0.00
QA03679AA	DELETE: Charger	\$	(37.08)

**Antenna Choices:**

QA02460AA	ADD: ATV-16A 136-150 MHz Antenna	\$	0.00
QA02463AA	ADD: ATV-16B 150-162 MHz Antenna	\$	0.00
QA02478AA	ADD: ATV-16C 162-174 MHz Antenna	\$	0.00
QA02618AA	ADD: ATV-16XL VHF Untuned Antenna	\$	0.00
QA02466AA	ADD: ATU-16B 400-420 MHz Antenna	\$	0.00
QA03039AA	ADD: ATU-16BS 400-430MHz (Stubby)	\$	0.00
QA02467AA	ADD: ATU-16C 420-450 MHz Antenna	\$	0.00
QA02464AA	ADD: ATU-16D 450-470 MHz Antenna	\$	0.00
QA03040AA	ADD: ATU-16DS 450-490MHz (Stubby)	\$	0.00
QA02465AA	ADD: ATU-16F 470-512 MHz Antenna	\$	0.00

**General Options:**

**Speaker Microphone Choices:**

QA13962AA	ADD: MH-66A4B IP57 Submersible Speaker Microphone		94.76
-----------	---	--	-------

**Programming Option:**

QA02724AA	ADD: Customer Codeplug Factory Programming	\$	50.00
-----------	--	----	-------

# VX-820 Series

## Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-820 portable model standard packages include:**

- FNB-V128LI-UNI 2300 mAh Li-Ion Battery
- VAC-UNI Universal Rapid Charger (Components: CD-58 & PA-55)
- Antenna Option
- Standard 3 Year Warranty



**VX-821 VX-824 VX-829**

**Radio Features:**

- 512 Channels/32 Groups (W/LCD) 16 Channels (w/o LCD)
- 12 Character Alpha Numeric Display/Full Keypad
- RSSI & Battery Life Indicator
- 12.5/25 kHz Switchable Channel Spacing
- 9 Programmable Keys (VX-829)
- 7 Programmable Keys (VX-824)
- 3 Programmable Keys (VX-821)
- CTCSS/DCS Encode and Decode
- DTMF ANI
- Optional DTMF Paging
- Audio Compander
- 2-Tone Encode & Dual 2-Tone Decode
- 5-Tone Encode/Decode
- Multi-Mode Scanning (Inc. Priority, Dual Watch, Follow-Me)
- Emergency Function
- ARTS™(Auto-Range Transpond System)
- BCLO, BTLO and TOT Functions
- Optional Voice Inversion Encryption
- Optional Rolling Code Encryption
- Optional Voice Storage
- Optional MDC1200® & GE-Star® ANI
- PC Programmable
- Radio to Radio Cloning
- Rugged, Compact Construction
- MIL-STD C/D/E/F

**Recommended Accessories:**

- Speaker Microphones**
  - MH-50D7A Public Safety Speaker Mic w/Toggle
  - MH-66A7A Submersible Noise Canceling
  - MH-66B7A Submersible with 2 Prog. Func. Keys
- Carry Cases**
  - LCC-820S Series (See accessories section for details)
- Headsets and Surveillance**
  - VH-111 Heavy Duty Dual Muff Over the Head style
  - VH-121 3 Wire Mini Lapel Mic Surveillance Kit
  - VH-131 2 Wire Palm Kit
  - VH-115L Headset
- VAC-6058 120/240V 6 Unit Rapid Charger
- Alkaline Battery Case**
  - FBA-34 Alkaline Battery Case

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-821 Radio Models</b>						
134-174 MHz	VHF	1-5W	16	AC058N011-VX	VX-821-D0-5	\$ 685.98
400-470 MHz	UHF	1-5W	16	AC058U022-VX	VX-821-G6-5	\$ 702.46
450-512 MHz	UHF	1-5W	16	AC058U019-VX	VX-821-G7-5	\$ 702.46
<b>VX-824 Radio Models</b>						
134-174 MHz	VHF	1-5W	512	AC058N012-VX	VX-824-D0-5	\$ 729.24
400-470 MHz	UHF	1-5W	512	AC058U023-VX	VX-824-G6-5	\$ 745.72
450-512 MHz	UHF	1-5W	512	AC058U020-VX	VX-824-G7-5	\$ 745.72
<b>VX-829 Radio Models</b>						
134-174 MHz	VHF	1-5W	512	AC058N013-VX	VX-829-D0-5	\$ 760.14
400-470 MHz	UHF	1-5W	512	AC058U024-VX	VX-829-G6-5	\$ 776.62
450-512 MHz	UHF	1-5W	512	AC058U021-VX	VX-829-G7-5	\$ 776.62

FCC INFORMATION: K6610583020 (134-174 MHz) / K6610584620 (403-470 MHz) / K6610584720 (450-512 MHz)

**VX-820 Series****Portables**

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

<b>Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP</b>
---

**Battery Choices:**

STDBAT0868AC	ADD: STD BATTERY FNB-V128LI-UNI 2300 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ 0.00
QA03902AA	ADD: FNB-V127LI-UNI 1380 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ (16.00)
QA04398AA	ADD: FNB-V129LI-UNI 3000 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ 60.00
QA04972AA	ADD: FNB-V129LIIS 3000 mAh Intrinsically Safe Li-Ion Battery (Uses VAC-UNI Charger)	\$ 118.34
QA02488AA	ADD: FNB-V87LIA 2300 mAh Li-Ion Battery (Uses VAC-921 Charger)	\$ 8.33
QA02659AA	ADD: FNB-V86LIA 1380 mAh Li-Ion Battery (Uses VAC-921 Charger)	\$ (7.67)

**Charger Choices:**

STDCHG0868AA	ADD: VAC-UNI 120V Standard Charger (Use with FNB-V127LI, FNB-V128LI, FNB-V129LI-UNI)	\$ 0.00
QA03678AA	ADD: VAC-UNI 240V EU Charger (Use with FNB-V127LI, FNB-V128LI, FNB-V129LI-UNI)	\$ 0.00
QA02742AA	ADD: VAC-921B 120V Rapid Rate Charger (Use with FNB-V86LIA, FNB-V87LIA, FNB-V92LI, FNB-V92LIIS)	\$ 8.58
QA02743AA	ADD: VAC-921C 240V Rapid Rate Charger (Use with FNB-V86LIA, FNB-V87LIA, FNB-V92LI, FNB-V92LIIS)	\$ 8.58
QA02481AA	DELETE: Charger	\$ (37.08)

**Antenna Choices:**

QA02616AA	ADD: ATV-8A 134-150 MHz Antenna	\$ 0.00
QA02458AA	ADD: ATV-8B 150-162 MHz Antenna 6"	\$ 0.00
QA03017AA	ADD: ATV-6B 150-162 MHz Antenna 3.5" **Reduced Range Performance**	\$ 0.00
QA02457AA	ADD: ATV-8C 162-174 MHz Antenna 6"	\$ 0.00
QA03016AA	ADD: ATV-6C 162-174 MHz Antenna 3.5" **Reduced Range Performance**	\$ 0.00
QA02684AA	ADD: ATV-6XL VHF Untuned Antenna	\$ 0.00
QA02621AA	ADD: ATU-6A 400-430 MHz Antenna	\$ 0.00
QA02624AA	ADD: ATU-6D 450-485 MHz Antenna 6"	\$ 0.00
QA02615AA	ADD: ATU-6DS 450-485 MHz Antenna 3.5"	\$ 0.00

**General Options:****Speaker Microphone Choices:**

QA13965AA	ADD: MH-50D7A Public Safety Speaker Microphone	\$ 96.82
QA13966AA	ADD: MH-66A7A Submersible NC Speaker Microphone	\$ 94.76
QA13967AA	ADD:MH-66B7A Submersible Speaker Microphone	\$ 185.40

**Programming Option:**

QA02724AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

**Shipping Option:**

QA03060AA	ADD: Bulk Packaging	\$ 0.00
-----------	---------------------	---------

# VX-920 Series

## Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-920 Series portable models packages can include:**

- FNB-V128LI-UNI 2300 mAh Li-Ion Battery
- VAC-UNI Universal Rapid Charger (Components: CD-58 & PA-55)
- Antenna Option
- Standard 3 Year Warranty



**VX-921**

**VX-924**

**Radio Features:**

- 512 Channels/32 Groups (VX-924) 48 Channels (VX-921)
- 12 Character Alpha Numeric Display (VX-924)
- Eight Programmable Keys (VX-924)
- Four Programmable Keys (VX-921)
- Programmable 3-position toggle key
- 7 - Color LED Call Alert Indicator
- RSSI & Battery Life Indicator
- 12.5/25 kHz Switchable Channel Spacing
- Stun / Kill / Revive (5-tone)
- Lone Worker
- CTCSS/DCS Encode and Decode
- DTMF ANI
- Optional DTMF Paging
- Audio Compander & Whisper
- 2-Tone Encode & Dual 2-Tone Decode
- 5-Tone Encode/Decode
- Multi-Mode Scanning (Inc. Priority, Dual Watch & Follow-Me) (Incl. Dual Watch, Priority, Follow-Me)
- Emergency Function
- ARTS™(Auto-Range Transpond System)
- BCLO, BTLO and TOT Functions
- Optional Voice Inversion Encryption
- Optional Rolling Code Encryption
- Optional Voice Storage
- Optional MDC1200® & GE-Star® ANI
- PC Programmable
- Radio to Radio Cloning
- Rugged, Compact Construction
- MIL-STD C/D/E/F

**Recommended Accessories:**

- Speaker Microphones**
  - MH-50D7A Public Safety Speaker Mic w/Toggle
  - MH-66A7A Submersible Noise Canceling
  - MH-66B7A Submersible with 2 Prog. Func. Keys
- Carry Cases**
  - LCC-920S Series (See accessories section for details)
- Headsets and Surveillance**
  - VH-111 Heavy Duty Dual Muff Over the Head style
  - VH-121 3 Wire Mini Lapel Mic Surveillance Kit
  - VH-131 2 Wire Palm Kit
  - VH-115L Headset
- Multi-Unit Chargers**
  - VAC-6058 120/240V 6 Unit Rapid Charger
- Alkaline Battery Case**
  - FBA-34 Alkaline Battery Case

**Cancellation Notice**

As of 5/1/17, the VX-920 series has been announced for cancellation. The last order date is 6/30/17. Any inventory left after 6/30/17 will be available on a first come, first serve basis. For additional details, please refer to VSOL > Resource Center > Product Information > Cancellations.

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-921 Radio Models</b>						
400-470 MHz	UHF	5W	48	AC033U035-VX	VX-921-G6-5	\$ 734.00
450-512 MHz	UHF	1-5W	48	AC033U026-VX	VX-921-G7-5	\$ 734.00

FCC INFORMATION: K6610333020 (134-174 MHz) / K6610334620 (403-470 MHz) / K6610334720 (450-512 MHz)

**VX-920 Series****Portables**

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

<b>Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP</b>		
---	--	--

**Battery Choices:**

STDBAT0868AC	ADD: STD BATTERY FNB-V128LI-UNI 2300 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ 0.00
QA03902AA	ADD: FNB-V127LI-UNI 1380 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ (16.48)
QA04398AA	ADD: FNB-V129LI-UNI 3000 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ 61.80
QA04972AA	ADD: FNB-V129LIIS 3000 mAh Intrinsically Safe Li-Ion Battery (Uses VAC-UNI Charger)	\$ 121.89
QA02488AA	ADD: FNB-V87LIA 2300 mAh Li-Ion Battery (Uses VAC-921 Charger)	\$ 8.58
QA02659AA	ADD: FNB-V86LIA 1380 mAh Li-Ion Battery (Uses VAC-921 Charger)	\$ (7.90)

**Charger Choices:**

STDCHG0868AA	ADD: VAC-UNI 120V Standard Charger (Use with FNB-V127LI, FNB-V128LI, FNB-V129LI-UNI)	\$ 0.00
QA03678AA	ADD: VAC-UNI 240V EU Charger (Use with FNB-V127LI, FNB-V128LI, FNB-V129LI-UNI)	\$ 0.00
QA02742AA	ADD: VAC-921B 120V Rapid Rate Charger (Use with FNB-V86LIA, FNB-V87LIA, FNB-V92LI, FNB-V92LIIS)	\$ 8.58
QA02743AA	ADD: VAC-921C 240V Rapid Rate Charger (Use with FNB-V86LIA, FNB-V87LIA, FNB-V92LI, FNB-V92LIIS)	\$ 8.58
QA02481AA	DELETE: Charger	\$ (37.08)

**Antenna Choices:**

QA02616AA	ADD: ATV-8A 134-150 MHz Antenna	\$ 0.00
QA02458AA	ADD: ATV-8B 150-162 MHz Antenna 6"	\$ 0.00
QA03017AA	ADD: ATV-6B 150-162 MHz Antenna 3.5" **Reduced Range Performance**	\$ 0.00
QA02457AA	ADD: ATV-8C 162-174 MHz Antenna 6"	\$ 0.00
QA03016AA	ADD: ATV-6C 162-174 MHz Antenna 3.5" **Reduced Range Performance**	\$ 0.00
QA02684AA	ADD: ATV-6XL VHF Untuned Antenna	\$ 0.00
QA02621AA	ADD: ATU-6A 400-430 MHz Antenna	\$ 0.00
QA02624AA	ADD: ATU-6D 450-485 MHz Antenna 6"	\$ 0.00
QA02615AA	ADD: ATU-6DS 450-485 MHz Antenna 3.5"	\$ 0.00

**General Options:****Speaker Microphone Choices:**

QA13965AA	ADD: MH-50D7A Public Safety Speaker Microphone	\$ 96.82
QA13966AA	ADD: MH-66A7A Submersible NC Speaker Microphone	\$ 94.76
QA13967AA	ADD: MH-66B7A Submersible Speaker Microphone	\$ 185.40

**Programming Option:**

QA02724AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

**Shipping Option:**

QA03060AA	ADD: Bulk Packaging	\$ 0.00
-----------	---------------------	---------

### Vertex Standard Portable Accessories

MSRP										Model Number	Description	MSRP
VX-261	VX-264	EVX-261	EVX-S24	VX-450	VX-450IS	VX-820	VX-920	EVX-530	EVX-530 IS			
<b>Alignment / Service Related</b>												
X	X	X								XURFI0001	CN-3 SMA to BNC Adaptor	\$ 17.30
			X							AAF26X002	CT-124B Firmware Cable. Requires FIF-12A.	\$ 61.80
<b>Alkaline Battery Cases</b>												
			X					X		AAH09X001	FBA-41 Alkaline Battery Pack	\$ 45.32
						X	X			AAE11X002	FBA-34 Alkaline Battery Case VX-820/920 series	\$ 46.35
<b>Antennas</b>												
			X	X				X	X	AAH72X001	ATU-16B UHF Antenna 400-420 MHz	\$ 14.42
			X	X				X	X	AAH72X002	ATU-16C UHF Antenna 420-450 MHz	\$ 14.42
			X	X				X	X	AAH72X003	ATU-16D UHF Antenna 450-470 MHz	\$ 14.42
			X	X				X	X	AAH72X004	ATU-16F UHF Antenna 470-512 MHz	\$ 14.42
			X							AAM23X001	ATU-20AS Regular Stubby Antenna 400-430 MHz	\$ 9.27
			X							AAM23X004	ATU-20CS Regular Stubby Antenna 420-450 MHz	\$ 9.27
			X							AAM23X002	ATU-20DS Regular Stubby Antenna 440-470 MHz	\$ 9.27
			X							AAM23X003	ATU-20FS Regular Stubby Antenna 450-480 MHz	\$ 9.27
			X							AAM28X001	ATU-21AS Super Stubby Antenna 400-420 MHz	\$ 9.27
			X							AAM28X002	ATU-21CS Super Stubby Antenna 420-440 MHz	\$ 9.27
			X							AAM28X003	ATU-21DS Super Stubby Antenna 440-460 MHz	\$ 9.27
			X							AAM28X004	ATU-21FS Super Stubby Antenna 460-480 MHz	\$ 9.27
X	X	X	X					X		XUCET0010	ATU-6A 400-430 MHz / Brown / 6.5" / VX10UA/600/800/900	\$ 14.42
								X		XUCET0011	ATU-6AS Antenna 410-430 MHz / 3.5"	\$ 13.39
		X	X							Q3000216	ATU-6B Antenna 420-450 MHz	\$ 14.42
		X	X							AAE23X002	ATU-6C Antenna 440-470 MHz	\$ 14.42
X	X	X	X			X	X			XUCET0012	ATU-6D 450-485 MHz / Red / 6" / VX-	\$ 14.42
X	X	X				X	X			XUCET0013	ATU-6DS Antenna 450-485 MHz / 3.5"	\$ 14.42
X	X	X								Q3000203	ATU-6F UHF 490-512 MHz Antenna	\$ 14.42
						X	X			XUCET0033	ATV-10A High Gain Antenna, 145-155MHz (Red) / 10.5"	\$ 16.48
						X	X			XUCET0034	ATV-10B High Gain Antenna, 150-160MHz (Brn) / 10.5"	\$ 16.48
						X	X			XUCET0035	ATV-10C High Gain Antenna, 155-165MHz (Blk) / 10.5"	\$ 16.48
						X	X			XUCET0036	ATV-10E High Gain Antenna, 165-175MHz (Org) / 10.5"	\$ 16.48
			X	X				X	X	AAH73X002	ATV-16A VHF Antenna 136-150 MHz	\$ 14.42
			X	X				X	X	AAH73X003	ATV-16B VHF Antenna 150-162 MHz	\$ 14.42
			X					X	X	AAJ10X001	ATU-16BS UHF 400-430 MHz Stubby	\$ 14.42
			X	X				X	X	AAH73X004	ATV-16C VHF Antenna 162-174 MHz	\$ 14.42
			X					X	X	AAJ10X002	ATU-16DS UHF 450-490 MHz Stubby	\$ 14.42
			X	X				X	X	AAH73X001	ATV-16XL VHF Untuned Antenna	\$ 14.42
								X		XUCET0019	ATV-6A Antenna 134-151 MHz / 4"	\$ 13.39
X	X					X	X			XUCET0020	ATV-6B Antenna 150-163 MHz / 3.5"	\$ 15.45
X	X					X	X			XUCET0021	ATV-6C Antenna 161-174 MHz / 3.5"	\$ 13.39
X	X	X				X	X			XUCET0022	ATV-6XL Untuned VHF Antenna 7"	\$ 14.42
X	X	X				X	X			XUCET0023	ATV-8A Antenna 134-150 MHz / Sable / 6"	\$ 14.42
X	X	X				X	X			XUCET0024	ATV-8B Antenna 150-163 MHz / Sable / 6"	\$ 14.42
X	X	X				X	X			XUCET0025	ATV-8C Antenna 162-174 MHz / Sable / 6"	\$ 14.42
								X		AAE64X001	ATW-1A Dual-band antenna for multi-band Rx: 134-151MHz / 450-520MHz	\$ 28.84
								X		AAE64X003	ATW-1C Dual-band antenna for multi-band Rx: 161-174MHz / 450-520MHz	\$ 28.84
								X		AAE64X002	ATW-1B Dual-band antenna for multi-band Rx: 150-163MHz / 450-520MHz	\$ 28.84
<b>Batteries</b>												
			X							AAH07X002	FNB-V112LI 7.4V 1140mAh Li-ion Battery Pack (VAC-450 Only)	\$ 49.78
			X							AAH08X002	FNB-V113LI 7.4V 2300 mAh Li-ion Battery Pack (VAC-450 Only)	\$ 80.68
			X							AAM10X001	FNB-V142LI 2300 mAh Li-Ion Battery	\$ 36.05
				X						AAH13X002	FNB-V113LIIS 2300MAH Li-Ion IS Battery	\$ 123.60
X	X	X	X					X		AAJ67X001	FNB-V133LI-UNI 1380 mAh Li-ion Battery (VAC-UNI charger only)	\$ 41.20
X	X	X	X					X		AAJ68X001	FNB-V134LI-UNI 2300 mAh Li-ion Battery (VAC-UNI charger only)	\$ 72.10
				X				X		AAK66X001	FNB-V134LI IS 2300 mAh Li-Ion Battery, Intrinsically Safe (VAC-UNI charger only)	\$ 123.60
				X	X					AAD82X021	FNB-V86LIA 7.4 V 1380mAh Li-ion Battery	\$ 74.50
				X	X					AAD83X021	FNB-V87LIA 7.4V 2300mAh Li-ion Battery	\$ 90.98
				X	X					AAJ61X001	FNB-V127LI-UNI 1380 mAh Li-Ion Battery (VAC-UNI Charger)	\$ 65.92
				X	X					AAJ62X001	FNB-V128LI-UNI 2300 mAh Li-Ion Battery (VAC-UNI Charger)	\$ 82.40
				X	X					AAJ63X001	FNB-V129LI-UNI 3000 mAh Li-Ion Battery (VAC-UNI Charger)	\$ 144.20
				X	X					AAL73X001	FNB-V129LIIS 3000 mAh Li-Ion Battery, Intrinsically Safe (VAC-UNI Charger)	\$ 164.80

**Vertex Standard Portable Accessories**

Date 7/11/17

**MSRP**

VX-261	VX-264	EVX-261	EVX-S24	VX-450	VX-450IS	VX-820	VX-920	EVX-530	EVX-530 IS	Model Number	Description	MSRP
							X			AAE85X001	CLIP17-A Swivel Belt Clip	\$ 16.48
						X				AAE85X002	CLIP17-B Swivel Belt Clip	\$ 16.48
		X								AAM18X001	CLIP-27 Belt Clip	\$ 10.30
X	X	X		X	X			X	X	AAH12X101	CLIP-20 Belt clip VX-450 Series	\$ 10.30
					X					AAE52X001	CLIP-820 Belt Clip for the VX-820 Series (TM)	\$ 10.30
							X			AAE51X001	CLIP-920 Belt Clip for the VX-920 Series (TM)	\$ 10.30
<b>Cases</b>												
			X					X	*	AAJ14X001	LCC-133LN BELT LOOP CASE (FNB-V133LI-UNI) NO DISPLAY	\$ 32.96
			X					X	*	AAJ14X002	LCC-134LN BELT LOOP CASE (FNB-V134LI-UNI) NO DISPLAY	\$ 32.96
			X					X	*	AAJ14X003	LCC-133SN SWIVEL BELT CLIP CASE (FNB-V133LI-UNI) NO DISPLAY	\$ 43.26
			X					X	*	AAJ14X004	LCC-134SN SWIVEL BELT CLIP CASE (FNB-V134LI-UNI) NO DISPLAY	\$ 43.26
			X					X	*	AAJ14X005	LCC-133LD BELT LOOP CASE (FNB-V133LI-UNI) DISPLAY	\$ 32.96
			X					X	*	AAJ14X006	LCC-134LD BELT LOOP CASE (FNB-V134LI-UNI) DISPLAY	\$ 32.96
			X					X	*	AAJ14X007	LCC-133SD SWIVEL BELT CLIP CASE (FNB-V133LI-UNI) DISPLAY	\$ 43.26
			X					X	*	AAJ14X008	LCC-134SD SWIVEL BELT CLIP CASE (FNB-V134LI-UNI) DISPLAY	\$ 43.26
		X								AAM22X001	LCC-S24 Leather case with belt loop	\$ 35.02
		X								AAM22X002	LCC-S24S Leather case with swivel belt loop	\$ 45.32
		X								AAM42X001	ST-101 Neck Lanyard	\$ 4.00
X										AAM03X001	LCC-261 Leather case with belt loop (FNB-V133LI-UNI)	\$ 32.96
X	X									AAM03X011	LCC-261 Leather case with belt loop (FNB-V133LI-UNI)	\$ 32.96
X										AAM03X002	LCC-261H Leather case with belt loop (FNB-V134LI-UNI)	\$ 32.96
X	X									AAM03X012	LCC-261H Leather case with belt loop (FNB-V134LI-UNI)	\$ 32.96
X										AAM03X003	LCC-261S Leather case with swivel belt loop (FNB-V133LI-UNI)	\$ 43.26
X	X									AAM03X013	LCC-261S Leather case with swivel belt loop (FNB-V133LI-UNI)	\$ 43.26
X										AAM03X004	LCC-261SH Leather case with swivel belt loop (FNB-V134LI-UNI)	\$ 43.26
X	X									AAM03X014	LCC-261SH Leather case with swivel belt loop (FNB-V134LI-UNI)	\$ 43.26
X										AAM04X001	LCC-264 Leather case with belt loop (FNB-V133LI-UNI)	\$ 32.96
X										AAM04X002	LCC-264H Leather case with belt loop (FNB-V134LI-UNI)	\$ 32.96
X										AAM04X003	LCC-264S Leather case with swivel belt loop (FNB-V133LI-UNI)	\$ 43.26
X										AAM04X004	LCC-264SH Leather case with swivel belt loop (FNB-V134LI-UNI)	\$ 43.26
					X					XUBEE0048	LCC-820 Leather case with Belt Loop	\$ 32.96
					X					XUBEE0046	LCC-820S Leather Case with Swivel and Belt Loop	\$ 43.26
						X				XUBEE0047	LCC-820S/TT Leather Case w/Swivel, Belt Loop and Keyboard Opening	\$ 43.26
						X				XUBEE0072	LCC-820SH/TT Leather case with D swivel. For use with VX-829/P829 and FNB - V92LI ( and IS ) battery	\$ 43.26
							X			XUBEE0075	LCC-920H Leather case with belt loop. For use with VX-921/P921 and FNB - V92LI ( and IS ) battery	\$ 32.96
							X			XUBEE0079	LCC-920H/TT Leather case with belt loop. For use with VX-929/P929 and FNB - V92LI ( and IS ) battery	\$ 32.96
							X			XUBEE0049	LCC-920S Leather Case with Swivel and Belt Loop	\$ 43.26
							X			XUBEE0050	LCC-920S/TT Leather case w/ Swivel Clip and Keyboard Cut-Out	\$ 43.26
							X			XUBEE0074	LCC-920SH Leather case with D Swivel. For use with VX-921/P921 and FNB - V92LI ( and IS ) battery	\$ 43.26
							X			XUBEE0078	LCC-920SH/TT Leather case with D swivel. For use with VX-929/P929 and FNB - V92LI ( and IS ) battery	\$ 43.26
*Leather Case will fit the EVX-530 IS radios, but is NOT an IS approved accessory												



### Vertex Standard Portable Accessories

Date 7/11/17

**MSRP**

VX-261	VX-264	EVX-261	EVX-S24	VX-450	VX-450IS	VX-820	VX-920	EVX-530	EVX-530 IS	Model Number	Description	MSRP
<b>Charger</b>												
X	X	X		X		X	X	X		XUAAJ72X001	VAC-UNI-B 120V US Universal Charger (For use with -UNI batteries)	\$ 37.08
X	X	X		X		X	X	X		XUAAJ72X002	VAC-UNI-C 220V EU Universal Charger (For use with -UNI batteries)	\$ 37.08
			X							AAM19X001	CD-65 Standard Charging Cradle (Requires PA-57 Micro USB AC Adapter)	\$ 20.60
			X							AAM20X001	CD-66 Enhanced Charging Cradle (Requires PA-57 Micro USB AC Adapter) *Only charges radio or spare battery during charging cycle	\$ 30.90
			X							AAL92X002	PA-57B Micro USB AC Charger (US)	\$ 14.42
			X							AAL92X003	PA-57C Micro USB AC Charger (EU)	\$ 14.42
				X						XUAAH10X10101	VAC-450B 120 VAC (PA45B/CD-49) (FNB-V112LI & FNB-V113LI)	\$ 37.08
				X						XUAAH10X10102	VAC-450C 230 VAC (PA-45C/CD-49) (FNB-V112LI & FNB-V113LI)	\$ 37.08
X	X	X		X		X	X	X		XUAAK44X001	VAC-6058 120V MUC FOR UNI LIION BATTERY	\$ 463.50
				X						XUAAH93X00101	VAC-6450B 120VAC 6 unit Multi Charger	\$ 463.50
				X						XUAAH93X00102	VAC-6450C 240VAC (VAC-6450/AC Cable)	\$ 463.50
			X							XUAAM36X001	VAC-6066 120V MULTI UNIT CHARGER (US PLUG)	\$ 250.00
			X							XUAAM36X002	VAC-6066 220V MULTI UNIT CHARGER (EU PLUG)	\$ 250.00
						X	X			XUAAE45X00101	VAC-921B 120 VAC Desktop Rapid charger	\$ 74.50
						X	X			AAF15X001	VCM-2 Vehicular Charger Mounting Adapter Kit for VAC-920 & VAC-300	\$ 61.80
				X						AAH92X001	VCM-4 Vehicular Charger Mounting Adapter for VAC-450	\$ 61.80
X	X	X		X		X	X	X		AAK45X001	VCM-5 Vehicle Charger Mounting Adapter – UNI Charger/Batteries Only	\$ 74.16
<b>Headsets and Surveillance</b>												
				X						AAA93X002	VH-110S Over-Head, Heavy Duty Headset	\$ 556.20
						X	X			AAE72X001	VH-111 Heavy Duty, Dual Muff, Over the head style, with Boom Mic	\$ 412.00
			X							AAM21X001	MH-89A4B Earpiece Microphone	\$ 41.20
X	X	X		X	X			X	X	AAL40X001	VH-150A IS Lightweight behind-the-head VOX headset	\$ 72.10
X	X	X		X	X			X	X	AAL41X001	VH-150B IS Lightweight over-the head VOX headset	\$ 82.40
X	X	X		X						AAL82X001	MH-100 3.5MM EARPIECE for RSM Audio Jack	\$ 19.57
X	X	X		X				X		AAL83X001	MH-101A4B 1 Wire Surveillance Kit	\$ 41.20
X	X	X		X						AAL84X001	MH-102A4B 2 Wire Surveillance Kit	\$ 56.65
X	X	X		X				X		AAL85X001	MH-103A4B 3 Wire Surveillance Kit	\$ 72.10
X	X	X		X	X			X	X	AAM02X001	MH-201A4B, Heavy duty headset, Over the Head, IS	\$ 385.22
				X						AAG48X001	VH-115S Lightweight Headset w/ Boom	\$ 56.65
				X						AAA92X002	VH-120S Earpiece Mic w/ Palm PTT	\$ 226.60
				X						AAA91X003	VH-130S Earpiece Mic w/ Palm PTT	\$ 154.50
						X	X			AAG48X003	VH-115L Headset	\$ 100.94
				X						AAM26X001	VH-190 VOX LIGHTWEIGHT HEADSET	\$ 70.00
				X						AAG49X001	VH-215S Lightweight Padded Headset, Single Speaker	\$ 124.63
X	X	X		X				X		AAK50X001	MH-37A4B-1 EARPIECE MICROPHONE Single Wire Surveillance Kit	\$ 41.20

### Vertex Standard Portable Accessories

Date 7/11/17

MSRP										Model Number	Description	MSRP
VX-261	VX-264	EVX-261	EVX-S24	VX-450	VX-450IS	VX-820	VX-920	EVX-530	EVX-530IS			
<b>Misc.</b>												
				X	X					AAH99X101	CSS-450 Channel Selector Stopper	\$ 8.24
				X						AAH63X001	DVS-8 Digital Voice Storage Unit	\$ 51.50
				X	X					AAH88X001	DVS-9 Mandown and voice storage	\$ 103.00
<b>Power Supply</b>												
				X						AAH11X002	PA-45B AC Adapter	\$ 16.48
<b>Programming and Installation</b>												
X	X	X		X					X	AAD68X001	CT-106 - FIF-12 to VX-160/180/410/420/450 Cable	\$ 41.20
			X							CB000262A01	Micro USB Programming Cable	\$ 21.45
						X	X			AAD92X001	CT-108 - PC programming cable (for use with the FIF-12 or FIF-12A USB Interface)	\$ 66.95
						X	X			AAE50X001	CT-116 Radio to Radio Programming Cable	\$ 66.95
				X				X		AAH77X001	CT-153 Clone cable	\$ 51.50
						X	X			AAJ09X001	CT-161 PROG CABLE(PORT W/ 14PIN CONN) (USE WITH FRB-6)	\$ 78.28
X	X	X		X				X		XURTS0008	CT-27A Radio to radio cloning cable	\$ 14.42
X	X	X		X		X	X	X		AAJ06X001	FRB-6 Tuning Interface (Requires Connection Cable)	\$ 350.20
X	X	X		X						AAJ08X001	CT-160 Connection Cable 4-Pin Mic Jack (Use with FRB-6)	\$ 56.65
X	X	X		X		X	X	X		AAJ23X001	FIF-12 USB Interface for PC programming. Check specific models for additional cable pigtails. Pigtails not included.	\$ 154.50
						X				T9207094	AF TEST ADAPTOR	\$ 51.50
<b>Signaling</b>												
						X	X			AAD51X001	DVS-5 Digital Voice Storage Board (120 sec. max.)	\$ 51.50
						X	X			A12760001	FVP-25 Encryption Unit (Band Inversion Type) and DTMF Paging. (requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000)	\$ 61.80
						X	X			AAF39X001	FVP-35 Plug-in Rolling Code Encryption. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI for programming	\$ 356.38
						X	X			A12760003	FVP-36 Encryption Unit (Band Inversion Type)	\$ 41.20
							X			AAD34U001	SRX-3 D Dual Band Rx module. Adds UHF Rx to VHF radio. 450 MHz ~ 512 MHz	\$ 164.80
							X			AAD34N001	SRX-4 Dual Band Rx module. Adds VHF Rx to UHF radio. 135 MHz ~ 174 MHz	\$ 164.80
						X	X			XUCMR0002	VMDE-200 Board for MDC1200 Encode/Decode	\$ 131.62
						X	X			XUCMR0003	VME-100 Board for MDC1200 Digital ANI	\$ 71.39
<b>Speaker Microphones</b>												
X	X	X		X					X	AAF52X001	MH-360S Compact Speaker Microphone for VX-210A, VX-160, VX-180 & VX-450. Very similar to the MH-34D4B.	\$ 21.63
X	X	X		X					X	AAF53X001	MH-450S Medium-Duty Speaker Microphone w/ Lapel Clip and 3.5mm Ear Phone Jack	\$ 27.47
X	X			X						A13960007	MH-45B4B Noise Cancelling Speaker Microphone	\$ 84.46
						X	X			AAA75X004	MH-50D7A Public Safety Speaker Microphone w/toggle, MIL-STD Rated	\$ 96.82
						X	X			AAE46X001	MH-66A7A Submersible Noise Canceling Speaker Microphone	\$ 94.76
X	X	X		X	X			X	X	AAE46X007	MH-66A4B IP57 Submersible Speaker Microphone	\$ 94.76
						X	X			AAE46X002	MH-66B7A Submersible Speaker Microphone with 2 Programmable Function keys and Audio Attenuator Switch.	\$ 185.40
				X						AAM24X001	MH-90A4B Compact Speaker Microphone	\$ 32.96
				X						AAE46X009	MH-66F4B IP57 SUBMERSIBLE SPEAKER MICROPHONE	\$ 94.76

# VX-420A Series

## Trunking Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-420A trunking portable models packages can include:**

FNB-V94 - 7.2 V 1800 mAh NiMH Battery

VAC-20B - 120 VAC 3 - Hour Desktop Charger

Antenna Option

Standard 3 Year Warranty



**VX-420A (4key) VX-420A (16key)**

**Radio Features:**

- 250 Conventional Ch./32 LTR System/Groups/16 Passport Zones
- 8 Character Alphanumeric Display
- 7 Programmable Function Buttons
- Intrinsically Safe Option Available
- 12.5/25 kHz Switchable Channel Spacing
- 2 Programmable Buttons
- CTCSS/DCS Encode and Decode
- DTMF ANI /Optional DTMF Paging (with FVP-25)
- Audio Compander
- 2-Tone Encode & Dual 2-Tone Decode
- Multi-Mode Scanning (Inc. Priority, Dual Watch, Follow-Me)
- \*ARTS™ (Auto-Range Transpond System) \*Conv. Mode Only
- BCLO, BTLO and TOT Functions
- Built In Voice Inversion Encryption
- Emergency Function
- Radio to Radio Cloning

**PassPort Mode Only Radio Features:**

- Remote Stun, Kill, Revive
- Selective Calling
- PassPort Classic format by Trident Micro Systems

**VX-420A Series Radio Cancellation**  
 Effective upon depletion of inventory, VX-420A Series radios will no longer be available for purchase. For additional details, refer to [VSOL > Resource Center > Product Information > Cancellations](#)

**Recommended Accessories:**

**Speaker Microphones**

MH-450S Standard Speaker Microphone

**Carry Case**

LCC-420S Leather Case with Swivel

**Headsets and Surveillance**

VH115S Lightweight Headset with Boom Mic

**Multi-Unit Charger**

VAC-6800B 6 Unit Rapid Charger (Li-Ion only)

**Spare Battery**

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-424A Radio Models</b>						
134-174 MHz	VHF	1-5W	250	<b>AC071N102-VX</b>	VX-424A(4Key)	\$ 419.21
134-174 MHz	VHF	1-5W	250	<b>AC071N101-VX</b>	VX-424A(16Key)	\$ 439.81

FCC INFORMATION: K6610503220 (134-174 MHz) / K6610504420 (450-512 MHz)

# VX-420A Series

## Trunking Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Battery Choices:**

QA02473AA	ADD: FNB-V94 1800 mAh NiMH Battery	\$	0.00
-----------	------------------------------------	----	------

**Charger Choices:**

QA02476AA	ADD: VAC-20B 120V 3 Hour Desktop Charger	\$	0.00
-----------	--	----	------

QA02650AA	ADD: VAC-20C 240V 3 Hour Desktop Charger	\$	0.00
-----------	--	----	------

QA02477AA	ADD: VAC-810B Rapid Rate Charger	\$	22.00
-----------	----------------------------------	----	-------

(Only for use with Li-Ion Batteries)

QA02477AA	ADD: VAC-810C 240V Rapid Rate Charger	\$	22.66
-----------	---------------------------------------	----	-------

(Only for use with Li-Ion Batteries)

QA02608AA	DELETE: Charger	\$	(39.14)
-----------	-----------------	----	---------

**Antenna Choices:**

QA02616AA	ADD: ATV-8A 134-150 MHz Antenna	\$	0.00
-----------	---------------------------------	----	------

QA02458AA	ADD: ATV-8B 150-162 MHz Antenna 6"	\$	0.00
-----------	------------------------------------	----	------

QA03017AA	ADD: ATV-6B 150-162 MHz Antenna 3.5" <b>**Reduced Range Performance**</b>	\$	0.00
-----------	---	----	------

QA02457AA	ADD: ATV-8C 162-174 MHz Antenna 6"	\$	0.00
-----------	------------------------------------	----	------

QA03016AA	ADD: ATV-6C 162-174 MHz Antenna 3.5" <b>**Reduced Range Performance**</b>	\$	0.00
-----------	---	----	------

QA02684AA	ADD: ATV-6XL VHF Untuned Antenna	\$	0.00
-----------	----------------------------------	----	------

QA02624AA	ADD: ATU-6D 450-485 MHz Antenna 6"	\$	0.00
-----------	------------------------------------	----	------

QA02615AA	ADD: ATU-6DS 450-485 MHz Antenna 3.5"	\$	0.00
-----------	---------------------------------------	----	------

**General Options:**

**Programming Option:**

QA02501AA	ADD: Passport Trunking	\$	0.00
-----------	------------------------	----	------

QA02724AA	ADD: Customer Codeplug Factory Programming	\$	50.00
-----------	--	----	-------

**Shipping Option:**

QA03060AA	ADD: Bulk Packaging	\$	0.00
-----------	---------------------	----	------

# VX-2100 Series

## Mobiles

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-2100 mobile models include:**  
**MH-67A8J - Standard Microphone**  
**Standard 3 Year Warranty**



**VX-2100**

**Radio Features:**

- 8 Channels
- 50W or 25W Power Output
- 12.5/25 kHz Switchable Channel Spacing
- 6 Programmable/Replaceable Buttons
- Loud Front Speaker Audio
- CTCSS/DCS Encode and Decode
- DTMF ANI
- 2-Tone Encode/Decode
- Built-In 5 Tone Signaling
- Emergency Feature
- ARTS™ (Auto-Range Transpond System)
- DTMF Paging (Option)
- Encryption (Voice inversion/Rolling Code) OPTION
- MIL-STD 810 C/D/E/F
- D-SUB 15 pin Accessory Connector
- Multi-Mode Scanning (Incl. Dual Watch, Priority, Follow-Me)

**Recommended Accessories:**

- Microphone**  
MD-12A8J Desktop Microphone
- External Speaker**  
MLS-100 12W External Speaker  
MLS-200 Waterproof External Speaker (12 Watt Peak)

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-2100 Series Radio Models</b>						
134-174 MHz	VHF	25W	8	AC061N133-VX	VX-2100-D0-25	\$ 339.90
134-174 MHz	VHF	50W	8	AC061N131-VX	VX-2100-D0-50	\$ 355.35
400-470 MHz	UHF	25W	8	AC061U137-VX	VX-2100-G6-25	\$ 360.50
400-470 MHz	UHF	45W	8	AC061U135-VX	VX-2100-G6-45	\$ 391.40
450-512 MHz	UHF	25W	8	AC061U133-VX	VX-2100-G7-25	\$ 360.50
450-512 MHz	UHF	45W	8	AC061U131-VX	VX-2100-G7-45	\$ 391.40

FCC INFORMATION: K66110613040 (134-174 MHz) / K6610614640 (403-470 MHz - 25W) / K6610614640 (403-470 MHz 45W) / K6610614730 (450-512 MHz 25W) / K6610614740 (450-512 MHz 45W)

# VX-2100 Series



Date 7/11/17  
MSRP

**Mobiles**  
UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Microphone Choices:**

QA02627AA	ADD: MH-67A8J Microphone	\$ 0.00
QA02626AA	ADD: MH-75A8J DTMF Microphone	\$ 15.45

**General Options:**

**Programming Option:**

QA02723AA	ADD: Customer Codeplug Factory Programming	\$ 0.00
-----------	--	---------

# VX-2200 Series

## Mobiles

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-2200 mobile models include:**  
**MH-67A8J - Standard Microphone**  
**Standard 3 Year Warranty**



**VX-2200**

**Radio Features:**

- 128 Channels
- 50W or 25W Power Output
- 12.5/25 kHz Switchable Channel Spacing
- 6 Programmable/Replaceable Buttons
- Loud Front Speaker Audio
- CTCSS/DCS Encode and Decode
- DTMF ANI
- 2-Tone Encode/Decode
- Built-In 5 Tone Signaling
- Emergency Feature
- ARTS™ (Auto-Range Transpond System)
- DTMF Paging (Option)
- Encryption (Voice inversion/Rolling Code) OPTION
- MDC-1200®/GE-STAR® ANI Encode OPTION
- MIL-STD 810 C/D/E/F
- D-SUB 15 pin Accessory Connector
- Multi-Mode Scanning (Incl. Dual Watch, Priority, Follow-Me)

**Recommended Accessories:**

- Microphone**  
MD-12A8J Desktop Microphone
- External Speaker**  
MLS-100 12W External Speaker  
MLS-200 Waterproof External Speaker (12 Watt Peak)

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-2200 Series Radio Models</b>						
134-174 MHz	VHF	25W	128	AC061N134-VX	VX-2200-D0-25	\$381.10
134-174 MHz	VHF	50W	128	AC061N132-VX	VX-2200-D0-50	\$406.85
400-470 MHz	UHF	25W	128	AC061U138-VX	VX-2200-G6-25	\$401.70
400-470 MHz	UHF	45W	128	AC061U136-VX	VX-2200-G6-45	\$432.60
450-512 MHz	UHF	25W	128	AC061U134-VX	VX-2200-G7-25	\$401.70
450-512 MHz	UHF	45W	128	AC061U132-VX	VX-2200-G7-45	\$432.60

FCC INFORMATION: K66110613040 (134-174 MHz) / K6610614640 (403-470 MHz - 25W) / K6610614640 (403-470 MHz 45W) / K6610614730 (450-512 MHz 25W) / K6610614740 (450-512 MHz 45W)

# VX-2200 Series

Date 7/11/17  
MSRP

**Mobiles**  
UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Microphone Choices:**

QA02627AA	ADD: MH-67A8J Microphone	\$ 0.00
QA02626AA	ADD: MH-75A8J DTMF Microphone	\$ 15.45

**General Options:**

**Programming Option:**

QA02723AA	ADD: Customer Codeplug Factory Programming	\$50.00
-----------	--	---------



# VX-4500/4600 Series

## Mobiles

UHF/VHF Models, 12.5 kHz/ 20 kHz / 25 kHz Analog

**VX-4500/4600 mobile models include:**

MH-67A8J Standard Microphone

Standard 3 Year Warranty



**VX-4500**



**VX-4600**

**Radio Features:**

- 512 Channels/32 Groups (VX-4600), 8 Channels (VX-4500)
- 6 Programmable Keys
- 8 Character alphanumeric display (VX-4600)
- RSSI signal strength indicator (VX-4600)
- Embedded MDC-1200 Encode and Decode
- Channel Announcement
- VOX Built-in
- Speed Dial (VX-4600)
- CTCSS / DCS Encode and Decode
- BCLO / BTLO and TOT Functions
- Compander
- Direct Channel entry (VX-4600)
- Minimum volume control
- Talk around
- Priority scan
- Dual priority scan
- Dual watch scan
- Follow-me scan
- Talk around scan
- Talk back scan
- Operator selectable scan
- Group scan
- Manual squelch control
- D-sub 15 pin accessory connector
- Public address / horn alert
- Radio to Radio Cloning
- Clone Programming files from VX-450 to VX-4500/4600
- MIL -STD 810 C/D/E/F/G

**Recommended Accessories:**

**Microphone:**

- MH-67A8J: Standard microphone
- MH-75A8J: Keypad microphone (16 keys)
- MD-12A8J: Desktop microphone

**External Speaker:**

- MLS-100: External speaker, square, 12W
- MLS-200 Waterproof External Speaker (12 Watt Peak)

**Additional:**

- LF-6: DC Line Filter

**Option Boards:**

- DVS-8: Digital voice storage

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL			
<b>VX-4500 Radio Models</b>							
	134-174 MHz	VHF	50W	8	AC093N101-VX	VX-4500-D0-50	\$473.80
	400-470 MHz	UHF	45W	8	AC093U105-VX	VX-4500-G6-45	\$473.80
	450-512 MHz	UHF	45W	8	AC093U101-VX	VX-4500-G7-45	\$473.80
<b>VX-4600 Radio Models</b>							
	134-174 MHz	VHF	50W	512	AC093N102-VX	VX-4600-D0-50	\$525.30
	400-470 MHz	UHF	45W	512	AC093U106-VX	VX-4600-G6-45	\$525.30
	450-512 MHz	UHF	45W	512	AC093U102-VX	VX-4600-G7-45	\$525.30

FCC INFORMATION: K6610933040 (134-174 MHz) / K6610934640 (403-470 MHz) / K6610934740 (450-512 MHz)

# VX-4500/4600 Series

## Mobiles

UHF/VHF Models, 12.5 kHz/ 20 kHz / 25 kHz Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Microphone Choices:**

QA02627AA	ADD: MH-67A8J Microphone	\$ 0.00
QA02626AA	ADD: MH-75A8J DTMF Microphone	\$ 15.45

**LTR Option:**

QA03067AA	ADD: LTR TRUNKING	\$ 50.00
-----------	-------------------	----------

**General Options:**

**Programming Option:**

QA02723AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

# EVX-5300/5400 Series

## Mobiles

UHF/VHF Models, 12.5 kHz/ 20 kHz / 25 kHz Digital/Analog

**EVX-5300/5400 mobile models include:**

MH-67A8J Standard Microphone  
Standard 3 Year Warranty



**EVX-5300**



**EVX-5400**

**Radio Features:**

- 8 Channels/1 Group
- 6 Programmable Keys
- Voice Compander
- Programmable Tri-Color LED
- Minimum Volume Control
- Public Address/Horn Alert
- D-Sub 15-pin accessory connector
- Radio to radio cloning

**Digital & Analog Features:**

- Mixed Mode Scan
- Emergency Alert
- Lone Worker
- Priority Scan
- Follow Me Scan/Dual Watch
- Remote stun/kill/revive
- Channel Announcement

**Digital Only Features:**

- All call, Group Call, Individual Call
- Escalart
- Remote Monitor
- PTT ID Encode
- Remote Monitor

**Analog Only Features:**

- CTCSS/DCS Encode/Decode
- MDC-1200 Encode/Decode
- 2-Tone Encode/Decode
- 5-Tone Encode/Decode
- DTMF Speed Dial
- DTMF Paging



**Recommended Accessories:**

**Microphone:**

- MH-67A8J: Standard microphone
- MH-75A8J: Keypad microphone (16 keys)
- MD-12A8J: Desktop microphone

**External Speaker:**

- MLS-100: External speaker, square, 12W

**EVX-Link Order Information:**

When selecting the EVX-Link configuration option as part of the mobile radio purchase, it is recommended that the radio be purchased with the newly available Delete Microphone options, QA02678AA, as part of the package. Please note the microphone is not functional in the EVX-Link configuration.

Also please note, the EVX-5400 mobile display is not active when used as the EVX-Link interface. No additional information (PTT-ID or otherwise) will appear on the display when used with EVX-Link. Please consider customer requirements when selecting a mobile companion for the EVX-Link.

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>EVX-5300 25W Radio Models</b>						
136-174 MHz	VHF	25W	8	AC114N002-VX	EVX-5300-D0-25 VHF 136-174 MHz	\$531.00
403-470 MHz	UHF	25W	8	AC114U004-VX	EVX-5300-G6-25 UHF 403-470 MHz	\$531.00
450-512 MHz	UHF	25W	8	AC114U003-VX	EVX-5300-G7-25 UHF 450-512 MHz	\$531.00
<b>EVX-5300 45/50W Radio Models</b>						
136-174 MHz	VHF	50W	8	AC114N001-VX	EVX-5300-D0-50 VHF 136-174 MHz	\$562.00
403-470 MHz	UHF	45W	8	AC114U002-VX	EVX-5300-G6-45 UHF 403-470 MHz	\$562.00
450-512 MHz	UHF	45W	8	AC114U001-VX	EVX-5300-G7-45 UHF 450-512 MHz	\$562.00
<b>EVX-5400 25W Radio Models</b>						
136-174 MHz	VHF	25W	512	AC114N004-VX	EVX-5400-D0-25 VHF 136-174 MHz	\$582.00
403-470 MHz	UHF	25W	512	AC114U008-VX	EVX-5400-G6-25 UHF 403-470 MHz	\$582.00
450-512 MHz	UHF	25W	512	AC114U007-VX	EVX-5400-G7-25 UHF 450-512 MHz	\$582.00
<b>EVX-5400 45/50W Radio Models</b>						
136-174 MHz	VHF	50W	512	AC114N003-VX	EVX-5400-D0-50 VHF 136-174 MHz	\$613.00
403-470 MHz	UHF	45W	512	AC114U006-VX	EVX-5400-G6-45 UHF 403-470 MHz	\$613.00
450-512 MHz	UHF	45W	512	AC114U005-VX	EVX-5400-G7-45 UHF 450-512 MHz	\$613.00

FCC INFORMATION: AXI11143040 (134-174 MHz) / AXI11144640 (403-470 MHz) / AXI11144740 (450-512 MHz)

IC INFORMATION: 10239A-11143040 (134-174 MHz) / 10239A-11144640 (403-470 MHz) / 10239A-11144740 (450-512 MHz)

# EVX-5300/5400 Series

## Mobiles

UHF/VHF Models, 12.5 kHz/ 20 kHz / 25 kHz Digital/Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Microphone Choices:**

QA02627AA	ADD: MH-67A8J Microphone	\$ 0.00
QA02626AA	ADD: MH-75A8J DTMF Microphone	\$ 15.45
QA02678AA	DEL: Microphone	\$ (41.20)

**General Options:**

**EVX-LINK Configuration:**

QA05739AA	ADD: EVX-LINK Configuration Includes: EVX-Link Box (EVX Mobile to EVX-Link Interface cable) SEC-1223 Mobile Power Supply EVX Mobile / EVX-Link Interface Firmware	\$ 858.33
-----------	---	-----------

**Reminder:**

It is recommended to select the Delete Mic option QA02678AA when purchasing the EVX-Link Option.

**Programming Option:**

QA02723AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

# VX-5500 Series

## Mobiles

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-5500 mobile models include:**  
**MH-53C7A Heavy Duty Microphone**  
**Standard 3 Year Warranty**



**VX-5500**

**Radio Features:**

- 250 Channels
- Large 8-Digit Alphanumeric Display
- 7 Programmable Backlit Keys
- Dual Band Capability
- One RF Deck to Multi Head Capable
- User Selectable Tones/Codes
- CTCSS/DCS Encode and Decode
- DTMF Signaling & Dialing Features
- Status quick check
- Emergency Functions
- Audio Compaander
- Dual Watch Scan
- Group Scan & Priority Scan
- Optional Rolling Code Encryption (w/FVP-25)
- BCLO, BTLO and TOT Functions
- Radio to Radio Cloning
- D-sub 25 pin accessory connector
- MIL-STD 810 C/D/E

**Recommended Accessories:**

**Microphone**

- MH-53A7A Noise Canceling Microphone
- MH-53B7A Noise Canceling Microphone with DTMF Keypad
- MH-53A8A Heavy Duty Weatherproof Noise Canceling DTMF Mic
- MH-53C7A Heavy Duty Microphone
- MD-12A7A Desktop Microphone
- MD-12A8J Desktop Microphone with multi pin plug

**External Speaker**

- MLS-100 12W External Speaker
- MLS-200 Waterproof External Speaker (12 Watt Peak)

**Control Heads**

- CNT-5000 Compact Motorcycle Control Head
- CNT-6000 Multi Control Head Configurations (req. T9206958A)

**Power Supply**

- SEC-1223 Desktop Switching Power Supply

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-5500 Dash Mount Models</b>						
29.7-37 MHz	Low Band	70W	250	AC034L007-VX	VX-5500LA	\$ 950.18
37-50 MHz	Low Band	70W	250	AC034L005-VX	VX-5500LB	\$ 950.18
148-174 MHz	VHF	50W	250	AC034N005-VX	VX-5500VC	\$ 950.18
450-490 MHz	UHF	50W	250	AC034U005-VX	VX-5500UD	\$ 973.35
<b>VX-5500 Dual Band Model</b>						
148-174/450-490 MHz	VHF/UHF	50W	250	AC034N005-VXDB	VX-5500 Dual Band	\$ 2,216.88
<b>VX-5500 Remote Mount Models</b>						
29.7-37 MHz	Low Band	70W	250	AC034L007-VXRM	VX-5500LA Remote Mount	\$ 1,377.06
37-50 MHz	Low Band	70W	250	AC034L005-VXRM	VX-5500LB Remote Mount	\$ 1,377.06
148-174 MHz	VHF	50W	250	AC034N005-VXRM	VX-5500VC Remote Mount	\$ 1,377.06
450-490 MHz	UHF	50W	250	AC034U005-VXRM	VX-5500UD Remote Mount	\$ 1,400.23

FCC INFORMATION: K66VX-5500L (29.7-50 MHz) / K66VX-5500V (148-174 MHz) / K66VX-5500U (450-490 MHz)

# VX-5500 Series

## Mobiles

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER Model**

**Microphone Choices:**

QA02625AA	ADD: MH-53C7A Microphone	\$ 0.00
QA02649AA	ADD: MH-53B7A DTMF Microphone	\$ 59.74
QA02648AA	ADD: MH-53A7A Noise Cancelling Microphone	\$ 45.32

**Remote Mount Choices (For Remote Mount Models)**

QA02666AA	ADD: Single Deck / Single Head (includes: (1) MH-53C7A microphone, (1) 6M remote mount cable, (1) RMK-4000H remote mount control head cover, (1) RMK-4000B RF deck cover)	\$ 0.00
QA02665AA	ADD: Single Deck / Dual Heads (includes: (2) MH-53C7A microphones, (2) RMK-4000H remote mount control head covers, (1) RMK-4000B RF deck cover, (2) 6M remote mount cables, (1) CNT-6000 control head, (2) interconnection cables)	\$ 470.25

**Remote Head Choices (for Dual Band Model)**

QA02662AA	ADD: Dual Decks / Single Head (includes: (1) MH-53C7A microphone, (1) RMK-4000H remote mount control head cover, (2) RMK-4000B RF deck covers, (1) 6M remote mount cable, (1) 0.6M remote mount cable, (1) RF Deck)	\$ 0.00
QA02663AA	ADD: Dual Decks / Dual Heads (includes: (2) MH-53C7A microphones, (2) RMK-4000H remote mount control head covers, (2) RMK-4000B RF deck covers, (2) 6M remote mount cables, (1) 0.6M remote mount cable, VHF/UHF heads)	\$ 487.19

**General Options:**

**Programming Option:**

QA02723AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

# VX-6000 Series

## Mobiles

High Power LB / UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-6000 mobile models include:**  
**MH-53C7A Heavy Duty Microphone**  
**Standard 3 Year Warranty**



**VX-6000**

**Radio Features:**

- 250 Channels
- Power Output: 120W Low Band
- 110W VHF, 100W UHF
- Large 8-Digit Alphanumeric Display
- 7 Programmable Backlit Keys
- Dual Band Capability
- One RF Deck to Multi-Head Capable
- Status quick check
- Emergency Functions
- Priority and Group Scan
- Dual Watch Scan
- Audio Compressor
- CTCSS/DCS Encode and Decode
- DTMF Signaling and Dialing Features
- Radio to Radio Cloning
- D-sub 25 pin accessory connector
- Optional Rolling Code Encryption (w/FVP-25)
- BCLO, BTLO and TOT Functions
- Loud 5W/10W Audio Output
- MIL-STD 810 C/D/E

**Recommended Accessories:**

**Microphone**

- MH-53A7A Noise Canceling Microphone
- MH-53B7A Noise Canceling Microphone with DTMF Keypad
- MH-53A8A Heavy Duty Weatherproof Noise Canceling DTMF Mic
- MH-53C7A Heavy Duty Microphone
- MD-12A7A Desktop Microphone
- MD-12A8J Desktop Microphone with multi pin plug

**External Speaker**

- MLS-100 12W External Speaker
- MLS-200 Waterproof External Speaker (12 Watt Peak)

**Control Heads**

- CNT-6000 Multi Control Head Configurations (req. T9206958A)

**Power Supply**

- FP-1030A External Power Supply

**Cancellation Notice**

As of 5/1/17, the VX-6000 series has been announced for cancellation. The last order date is 6/30/17. Any inventory left after 6/30/17 will be available on a first come, first serve basis. For additional details, please refer to VSOL > Resource Center > Product Information > Cancellations.

PRODUCT DETAILS					NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL			
<b>VX-6000 Dash Mount Models</b>							
37-50 MHz	Low Band	120W	250	<b>AC024L005-VX</b>	VX-6000LB		\$ 1,520.90
148-174 MHz	VHF	110W	250	<b>AC024N005-VX</b>	VX-6000VC		\$ 1,679.32
450-490 MHz	UHF	100W	250	<b>AC024U005-VX</b>	VX-6000UD		\$ 1,742.70
<b>VX-6000 Dual Band Model</b>							
148-174/450-490 MHz	VHF/UHF	110W	250	<b>AC024N005-VXDB</b>	VX-6000 Dual Band		\$ 3,689.45
<b>VX-6000 Remote Control Head Models</b>							
37-50 MHz	Low Band	120W	250	<b>AC024L005-VXRM</b>	VX-6000LB Remote Mount		\$ 1,794.56
148-174 MHz	VHF	110W	250	<b>AC024N005-VXRM</b>	VX-6000VC Remote Mount		\$ 2,068.42
450-490 MHz	UHF	100W	250	<b>AC024U005-VXRM</b>	VX-6000UD Remote Mount		\$ 2,131.79

# VX-6000 Series

## Mobiles

High Power LB / UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Microphone Choices (For Dash Mount Models)**

QA02625AA	ADD: MH-53C7A Microphone	\$ 0.00
QA02649AA	ADD: MH-53B7A DTMF Microphone	\$ 58.00
QA02648AA	ADD: MH-53A7A Noise Cancelling Microphone	\$ 44.00

**Remote Mount Choices (For Remote Mount Models)**

QA02661AA	ADD: Single Deck / Single Head (includes: (1) MH-53C7A microphone, (1) 6M remote mount cable, (1) RMK-4000H remote mount control head cover, (1) RMK-4000B RF deck cover)	\$ 0.00
QA02664AA	ADD: Single Deck / Dual Heads (includes: (2) MH-53C7A microphones, (2) RMK-4000H remote mount control head covers, (1) RMK-4000B RF deck cover, (2) 6M remote mount cables, (1) CNT-6000 control head, (2) interconnection cables)	\$ 490.85

**Remote Head Choices (for Dual Band Model)**

QA02667AA	ADD: Dual Decks / Single Head (includes: (1) MH-53C7A microphone, (1) RMK-4000H remote mount control head cover, (2) RMK-4000B RF deck covers, (1) 6M remote mount cable, (1) 0.6M remote mount cable, (1) RF Deck)	\$ 0.00
QA02668AA	ADD: Dual Decks / Dual Heads (includes: (2) MH-53C7A microphones, (2) RMK-4000H remote mount control head covers, (2) RMK-4000B RF deck covers, (2) 6M remote mount cables, (1) 0.6M remote mount cable, VHF/UHF heads)	\$ 487.19

**General Options:**

**Programming Option:**

QA02723AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------



# VXD-7200 Series

## Mobiles

UHF / VHF Models, 12.5 kHz / 6.25 kHz<sup>e</sup>, Analog/Digital

**VXD-7200 mobile models include:**

MH-67A8J Standard Microphone

MMB-93 Low Profile Mounting Kit

E-DC-27

Standard 3 Year Warranty



**VXD-7200**

**Radio Features:**

- 512 Channels
- 4 Programmable Front Panel Keys
- 40 Character Scrolling Alphanumeric Display
- Multi-Color LED Custom Call Alert
- 26 Pin Accessory Connector
- Basic Privacy (Digital Mode)
- Digital Encode/Decode: Call Alert, Private Call, Emergency
- Selective Radio Inhibit, radio check and remote monitor
- MDC-1200® analog encode/decode: call alert, emergency and PTT ID
- 2-Tone Analog paging, call alert, call alert w/voice, Select Call
- High Power and Low Power Versions Available

**VXD-7200 Series Radio Cancellation**  
 Effective December 31, 2014 or upon depletion of inventory, VXD-7200 Series radios will no longer be available for purchase. For additional details, refer to [VSOL > Resource Center > Product Information > Cancellations](#)

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VXD-7200 Series Radio Models</b>						
403-470	UHF	25W	512	<b>AC101U001-VX</b>	VXD-7200-G6-25 403-470 25W	\$ 741.60
450-512	UHF	40W	512	<b>AC101U004-VX</b>	VXD-7200-G7-40 450-512 40W	\$ 772.50

FCC INFORMATION: K6611013030 (134-174 MHz - 25W) / K6611013040 (134-174 MHz - 45W) / K6611014630 (403-470 MHz 25W) / K6611014640 (403-470 MHz 40W) / K6611014740 (450-512 MHz 45W)

# VXD-7200 Series

## Mobiles

UHF / VHF Models, 12.5 kHz / 6.25 kHz<sup>e</sup>, Analog/Digital

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Microphone Choices:**

QA02737AA	ADD: MH-67A8J STD. MIC	\$ 0.00
-----------	------------------------	---------

**Mounting Bracket Choices:**

QA02739AA	ADD: MMB-93 Low Profile Trunion Kit	\$ 0.00
QA02740AA	ADD: MMB-94 High Profile Trunion Kit	\$ 6.00
QA02741AA	ADD: MMB-95 Key Lock Trunion Kit	\$ 126.18
QA02820AA	ADD: MMB-96 In Dash Mounting Kit	\$ 16.30

**Power Cable Choices:**

QA02822AA	ADD: E-DC-27 10 ft, 15 amp Cable	\$ 0.00
QA02824AA	ADD: E-DC-28 20 ft, 20 amp Cable	\$ 22.32

**General Options:**

**Programming Option:**

QA02723AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

## Vertex Standard Mobile Accessories

Date 7/11/17

**MSRP**

VX-2100	VX-2200	VX-4500/4600	VX-5500	VX-6000	EVX-5300/5400	VXD-7200	Model Number	Description	MSRP
<b>Alignment / Service Related</b>									
			X	X			AAC54X001	CT-88 The CT-88 cable is used in conjunction with the FIF-8 box to make adjustments to the alignment. This is for the VX-4000/VX-5500/VX-6000 mobiles. The CT-88 connects from the DB25 accessory port of the mobile, to the FIF-8 box interfaced to your PC.	\$ 56.65
<b>Control Heads</b>									
			X				AAD37X001	CNT-5000 Compact motorcycle control head for VX-4000 & VX-5500s. Includes CNT-5000 control head, mounting bracket (RA0555300), screw kit (U9900163 qty 2), holder (RA0555400 qty 2) & connection cable (T9207073). External microphone (MH-53A8A) & external speaker (MLS-100 or MLS-200) sold separately	\$ 513.97
			X	X			AAC98X001	CNT-6000 Control Head for multi-head configurations. Requires T9206958A for dual head remotes.	\$ 180.25
<b>Cover Plates</b>									
			X	X			AAB27X012	Cover plate for the RF Deck in Remote Applications (RMK-4000B)	\$ 66.95
			X	X			AAB27X011	Cover plate for the Control Head (Includes mounting bracket and hardware) (RMK-4000H)	\$ 108.15
			X	X			AAD58X001	Dedicated Motorcycle Control Head. Built for ease of use and all weather operation (RMK-5000B)	\$ 184.37
<b>DC Cables</b>									
			X	X			XUVTN0001	CT-96PS Ignition Sense Cable for the VX-4000, VX-5500 & VX-6000 mobiles	\$ 18.88
			X				AAE06X001	E-DC-22 30 ft DC cable for VX-4000/-5500 mobiles	\$ 82.40
				X			AAE07X001	E-DC-23 30 ft DC cable for VX-6000 mobiles	\$ 164.80
<b>DC Noise Filter</b>									
X	X		X				A09120001	LF-1 Plug-In Line Filter	\$ 36.05
			X		X		AAH67X001	LF-6 DC Line Filter	\$ 36.05
<b>Microphones</b>									
X	X	X			X	X	AAF13X001	MD-12A8J Desktop Microphone	\$ 105.06
			X	X			AAF13X003	MD-12A7A Desktop Microphone	\$ 105.06
			X	X			AAB02X004	MH-53A7A Noise-Canceling Microphone	\$ 106.09
			X	X			AAB02X007	MH-53A8A Heavy Duty Weatherproof Noise Canceling DTMF Microphone (for use with CNT-5000)	\$ 153.47
			X	X			AAB02X006	MH-53C7A Heavy Duty Microphone	\$ 108.15
X	X	X			X	X	AAE60X102	MH-67A8J Standard Microphone	\$ 41.20
X	X	X			X		AAG22X101	MH-75A8J DTMF Microphone, 16 Key, Black	\$ 56.65
<b>Misc.</b>									
			X				AAH63X001	DVS-8 Digital Voice Storage Unit	\$ 51.50
<b>Mounting Brackets</b>									
			X				AAB26X001	MMB-75 Mobile Mounting Bracket ( Supplied w/radio)	\$ 25.75
			X				AAB72X001	MMB-76 Locking Mobile Mounting Bracket	\$ 77.25
				X			AAB98X001	MMB-77 Locking Mobile Mounting Bracket for the VX-6000	\$ 97.85
				X			AAC97X001	MMB-79 Mobile Mounting Bracket (Supplied w/radio VX-6000)	\$ 30.90
			X	X			AAD62X001	MMB-88 This is a mounting bracket, which is a base plate for the CNT-5000 and MLS-200. The MMB-88 mounts to a motorcycle. The CNT-5000 and MLS-200 then mount to the MMB-88, side by side.	\$ 81.37

## Vertex Standard Mobile Accessories

Date 7/11/17

**MSRP**

VX-2100	VX-2200	VX-4500/4600	VX-5500	VX-6000	EVX-5300/5400	VXD-7200	Model Number	Description	MSRP
<b>Power Supplies</b>									
X	X	X	X		X		XUSLX0001A	SEC-1223 Desktop Switching Power Supply 120 VAC	\$ 223.39
				X			A12510002	FP-1030A External Power Supply	\$ 355.58
<b>Programming and Installation</b>									
X	X	X			X		AAD66X002	CT-104A Interface Cable for FIF-12A	\$ 41.20
			X	X			AAD67X001	CT-105 FIF-12 interface cable to connect: VX-530/600/800/900 Portables also VX-5500/VX-6000 Mobiles.	\$ 61.80
X	X	X			X		T9101411	CT-4 Programming Cable - Radio to Radio Cloning	\$ 28.44
			X	X			AAA26X001	CT-72 Cloning Cable (Set-to-Set Clone)	\$ 70.04
X	X	X	X	X	X		AAJ23X001	FIF-12 USB Interface for PC programming. Check specific models for	\$ 154.50
X	X	X	X	X			A06420002	VX VPL-1 Programming cable from PC. Check specific models for	\$ 89.61
			X	X			T9101628	SVC-49 Alignment Cable for FIF-12	\$ 31.73
			X	X			L9190148	Ferrite Snap-on Bead for control cable	\$ 5.47
			X	X			L9190128	Ferrite Snap-on Bead for microphone cable	\$ 2.93
X	X	X					AAJ06X001	FRB-6 Tuning Interface (Requires Connection Cable)	\$ 350.20
X	X	X					AAJ07X001	CT-159 Connection Cable (Requires FRB-6)	\$ 60.09
			X	X			AAC49X002	FIF-7A Interface Board (for VX-4000 / 5500 / 6000 with FVP-25, FVP-35,	\$ 38.11
<b>Remote Cables</b>									
		X		X			AAJ01X001	CT-156 Remote Mount Cable (3M)	\$ 82.40
		X		X			AAJ02X001	CT-157 Remote Mount Cable (5M)	\$ 87.55
		X		X			AAJ03X001	CT-158 Remote Mount Cable (7M)	\$ 97.85
			X	X			AAC04X001	CT-81 Remote Cable for RMK-4000 series (20 ft) (RF Deck to Control	\$ 92.70
			X	X			AAC05X001	CT-82 Remote Cable for RMK-4000 series (8 ft) (RF Deck to Control Head)	\$ 82.40
			X	X			AAC06X001	CT-83 Remote Cable for RMK-4000 series (2 ft) (RF Deck to RF Deck)	\$ 72.10
			X	X			AAD07X001	CT-93 Remote Cable for RMK-4000 series (30 ft) (RF Deck to Control	\$ 99.23
			X				AAH66X101	RMK-4600 Remote mount kit	\$ 66.95
			X		X		AAH66X102	RMK-5400 Remote mount kit	\$ 66.95
<b>Speaker</b>									
X	X	X	X	X	X		A09260003	MLS-100 External Speaker (12 Watt Peak)	\$ 63.86
X	X	X	X	X			AAD49X001	MLS-200 Waterproof External Speaker (12 Watt Peak)	\$ 82.40
<b>Signaling</b>									
X	X		X	X			A12760001	FVP-25 Encryption Unit (Band Inversion Type) and DTMF Paging. (requires	\$ 61.80
X	X		X	X			AAF39X001	FVP-35 Plug-in Rolling Code Encryption. Requires FIF-7 if installed into the	\$ 356.38
X	X		X	X			XUCMR0003	VME-100 Board for MDC1200 Digital ANI (FIF-7 also required when being installed in VX-5500/6000)	\$ 71.39
		X	X	X			A12760003	FVP-36 INVERSION SCRAMBLING UNIT	\$ 41.20

# VX-2200 Trunking Series

## Trunking Mobiles

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-2200 trunking mobile models include:**

MH-67A8J - Standard Microphone  
 Standard 3 Year Warranty



**VX-2200 LTR/Passport**

**Radio Features:**

- LTR Operation 32 Zone / 250 Group
- PassPort Operation 32 Zone / 250 Group
- 6 Programmable/Replaceable Buttons
- Loud Front Speaker Audio
- CTCSS/DCS Encode and Decode
- DTMF ANI/ (Optional Paging)
- RSSI Indicator
- Emergency Feature
- ARTSTM (Auto-Range Transpond System)
- Built-In Inversion Encryption
- Rolling Code Encryption (OPTION)
- MDC-1200®/GE-STAR® ANI Encode (OPTION)
- MIL-STD 810 C/D/E/F
- D-SUB 15 pin Accessory Connector
- Multi-Mode Scanning (Incl. Dual Watch, Priority, Follow-Me)

**Recommended Accessories:**

**Microphone**

- MH-75A8J: Keypad microphone (16 keys)
- MD-12A8J Desktop Microphone

**External Speaker**

- MLS-100 12W External Speaker
- MLS-200 Waterproof External Speaker (12 Watt Peak)

**Cancellation Notice**

As of 5/1/17, the VX-2200 LTR series has been announced for cancellation. The last order date is 6/30/17. Any inventory left after 6/30/17 will be available on a first come, first serve basis. For additional details, please refer to VSOL > Resource Center > Product Information > Cancellations.

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-2200 Trunking Radio Models</b>						
134-174 MHz	VHF	50W	250	<b>AC084N102-VX</b>	VX-2200-AD0H	\$ 440.84
450-512 MHz	UHF	50W	250	<b>AC084U102-VX</b>	VX-2200-AG7H	\$ 468.39

FCC INFORMATION: K66110613040 (134-174 MHz) / K6610614740 (450-512 MHz 45W)

# VX-2200 Trunking Series

## Trunking Mobiles

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Microphone Choices:**

QA02627AA	ADD: MH-67A8J Microphone	\$ 0.00
QA02626AA	ADD: MH-75A8J DTMF Microphone	\$ 15.45

**General Options:**

**Programming Selection Option:**

QA02503AA	ADD: Passport Trunking (UHF Model Only)	\$ 0.00
-----------	---	---------

**Programming Option:**

QA02723AA	ADD: Customer Codeplug Factory Programming	\$ 50.00
-----------	--	----------

## Vertex Standard Trunking Mobiles Accessories

Date 7/11/17

**MSRP**

VX-2200A	Model Number	Description	MSRP
<b>Alignment / Service Related</b>			
X	AAC92X001	CT-92 FIF-8 cable to the Mobiles VX-3200/VX-4200/VX-4200/VX-2500. Used for updating firmware using the FIF-8 firmware writer.	\$ 23.69
<b>DC Noise Filter</b>			
X	A09120001	LF-1 Plug-In Line Filter	\$ 36.05
<b>Microphones</b>			
X	AAF13X001	MD-12A8J Desktop Microphone	\$ 105.06
X	AAE60X102	MH-67A8J Standard Microphone	\$ 41.20
X	AAG22X101	MH-75A8J DTMF Microphone, 16 Key, Black	\$ 56.65
<b>Power Supply</b>			
X	XUSLX0001A	SEC-1223 Desktop Switching Power Supply 120 VAC	\$ 223.39
<b>Programming and Installation</b>			
X	AAD66X002	CT-104A Interface Cable for FIF-12A	\$ 41.20
X	T9101411	CT-4 Programming Cable - Radio to Radio Cloning	\$ 28.43
X	AAJ23X001	FIF-12 USB Interface for PC programming. Check specific models for additional cable pigtailed. Pigtailed not included.	\$ 154.50
X	A06420002	VX VPL-1 Programming cable from PC. Check specific models for additional cable pigtailed.	\$ 89.61
<b>Signaling</b>			
X	AAF39X001	FVP-35 Plug-in Rolling Code Encryption. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI for programming	\$ 356.38
X	XUCMR0003	VME-100 Board for MDC1200 Digital ANI (FIF-7 also required when being installed in VX-5500/6000)	\$ 71.39
<b>Speaker</b>			
X	A09260003	MLS-100 External Speaker (12 Watt Peak)	\$ 63.86
X	AAD49X001	MLS-200 Waterproof External Speaker (12 Watt Peak)	\$ 82.40

# VX-P820 Series

## P25 Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-P820 Series portable models packages can include:**

- FNB-V128LI-UNI 2300 mAh Li-Ion Battery
- VAC-UNI Universal Rapid Charger (Components: CD-58 & PA-55)
- Antenna Option
- Standard 3 Year Warranty

**Radio Features:**

- 512 Channels/32 Groups (W/LCD) 16 Channels (w/o LCD)
- 12 Character Alpha Numeric Display/Full Keypad
- RSSI & Battery Life Indicator\* (Excludes VX-P821)
- Loud 700 mW Audio Output
- 3 Programmable Keys (P821) , 7 Keys (P824), 9 Keys (P829)
- IP57 Submersibility Rating
- MIL-STD C/D/E/F

**Analog Only Features:**

- CTCSS/DCS Encode and Decode
- DTMF ANI
- Optional DTMF Paging
- Audio Compaander
- 2-Tone Encode & Multi 2-Tone Decode
- Lone Worker
- ARTS™ (Auto-Range Transpond System)
- BCLO, BTLO and TOT Functions
- TX/RX Battery Save
- User Selectable Tone\* (Not available on P821)
- MDC-1200 Encode (PTT ID, Emergency ID)

**Analog Mode and P25 Digital Conventional Mode:**

- Emergency Feature
- Versatile Scanning (Priority Scan, Dual Watch, Follow-Me Scan, Follow Me-DW and TA Scan) AF Minimum Volume
- Direct Channel Recall \*(Excludes VX-P821)
- User Set Mode\* (Excludes VX-P821)

**P25 Digital Conventional Mode Only:**

- AMBE+2™ Vocoder
- NAC (Network Access Code)
- Talk Group ID
- Individual ID Lists \*(Excludes VX-P821)
- Caller ID Display \*(Excludes VX-P821)
- RSSI Audible Alert
- Mixed Mode
- BCLO and TOT
- Optional AES/DES Encryption



**VX-P821 VX-P824 VX-P829**

**Recommended Accessories:**

**Speaker Microphones**

- MH-50D7A Noise Canceling Speaker Microphone
- MH-66A IP57 Submersible Speaker Microphone
- MH66-B7A IP57 Submersible with PF Key and Toggle

**Headsets and Surveillance**

- VH-111 Heavy Duty Over the Head Headset
- VH-121 3-Wire Earpiece, Mic w/Palm PTT-Switch
- VH-131 2-Wire Earpiece, Palm Mic/PTT Combo

**Multi-Unit Chargers**

- VAC-6058 120/240V 6 Unit Rapid Charger

**Carry Cases**

- LCC-820S Leather Case w/Swivel and Belt Loop
- LCC-820S/TT Leather Case w/Swivel & Keypad Opening

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-P821 Radio Models</b>						
134-174 MHz	VHF	1-5W	16	AC058N211-VX	VX-P821-D0-5	\$ 1,810.74
380-450 MHz	UHF	1-5W	16	AC058U234-VX	VX-P821-G8-5	\$ 1,913.74
450-512 MHz	UHF	1-5W	16	AC058U219-VX	VX-P821-G7-5	\$ 1,913.74

FCC INFORMATION: K6610583021 (134-174 MHz) / K6610584621 (403-512 MHz)



# VX-P820 Series

## P25 Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-P824 Radio Models</b>						
134-174 MHz	VHF	1-5W	512	AC058N212-VX	VX-P824-D0-5	\$ 1,934.34
380-450 MHz	UHF	1-5W	512	AC058U235-VX	VX-P824-G8-5	\$ 2,037.34
450-512 MHz	UHF	1-5W	512	AC058U220-VX	VX-P824-G7-5	\$ 2,037.34
<b>VX-P829 Radio Models</b>						
134-174 MHz	VHF	1-5W	512	AC058N213-VX	VX-P829-D0-5	\$ 2,119.74
380-450 MHz	UHF	1-5W	512	AC058U236-VX	VX-P829-G8-5	\$ 2,222.74
450-512 MHz	UHF	1-5W	512	AC058U221-VX	VX-P829-G7-5	\$ 2,222.74

OPTION SELECTION	DESCRIPTION	MSRP
<b>Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP</b>		

**Battery Choices:**

STDBAT0868AC	ADD: STD BATTERY FNB-V128LI-UNI 2300 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ 0.00
QA03902AA	ADD: FNB-V127LI-UNI 1380 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ (16.48)
QA04398AA	ADD: FNB-V129LI-UNI 3000 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ 61.80
QA04972AA	ADD: FNB-V129LIIS 3000 mAh Intrinsically Safe Li-Ion Battery (Uses VAC-UNI Charger)	\$ 121.89
QA02488AA	ADD: FNB-V87LIA 2300 mAh Li-Ion Battery (Uses VAC-921 Charger)	\$ 8.58
QA02659AA	ADD: FNB-V86LIA 1380 mAh Li-Ion Battery (Uses VAC-921 Charger)	\$ (7.90)

**Charger Choices:**

STDCHG0868AA	ADD: VAC-UNI 120V Standard Charger (Use with FNB-V127LI, FNB-V128LI, FNB-V129LI-UNI)	\$ 0.00
QA03678AA	ADD: VAC-UNI 240V EU Charger (Use with FNB-V127LI, FNB-V128LI, FNB-V129LI-UNI)	\$ 0.00
QA02742AA	ADD: VAC-921B 120V Rapid Rate Charger (Use with FNB-V86LIA, FNB-V87LIA, FNB-V92LI, FNB-V92LIIS)	\$ 8.58
QA02743AA	ADD: VAC-921C 240V Rapid Rate Charger (Use with FNB-V86LIA, FNB-V87LIA, FNB-V92LI, FNB-V92LIIS)	\$ 8.58
QA02481AA	DELETE: Charger	\$ (37.08)

**Antenna Choices:**

QA02616AA	ADD: ATV-8A 134-150 MHz Antenna	\$ 0.00
QA02458AA	ADD: ATV-8B 150-162 MHz Antenna 6"	\$ 0.00
QA03017AA	ADD: ATV-6B 150-162 MHz Antenna 3.5" **Reduced Range Performance**	\$ 0.00
QA02457AA	ADD: ATV-8C 162-174 MHz Antenna 6"	\$ 0.00
QA03016AA	ADD: ATV-6C 162-174 MHz Antenna 3.5" **Reduced Range Performance**	\$ 0.00
QA02684AA	ADD: ATV-6XL VHF Untuned Antenna	\$ 0.00
QA02621AA	ADD: ATU-6A 400-430 MHz Antenna (For G6 Models)	\$ 0.00
QA02617AA	ADD: ATU-6A 400-430 MHz Antenna (For G8 Models)	\$ 0.00
QA02624AA	ADD: ATU-6D 450-485 MHz Antenna 6"	\$ 0.00
QA02615AA	ADD: ATU-6DS 450-485 MHz Antenna 3.5"	\$ 0.00

**General Options:**

**Speaker Microphone Choices:**

QA13965AA	ADD: MH-50D7A Public Safety Speaker Microphone	\$ 96.82
QA13966AA	ADD: MH-66A7A Submersible NC Speaker Microphone	\$ 94.76
QA13967AA	ADD: MH-66B7A Submersible Speaker Microphone	\$ 185.40

**Programming Option: \*\*Encryption options are factory installed\*\***

QA02502AA	ADD: AES/DES Encryption Programming	\$ 550.00
QA02724AA	ADD: Customer Codeplug Factory Programming	\$ 50.00

**Shipping Option:**

STDBOX0868AA	Standard Packaging	\$ 0.00
QA03060AA	ADD: Bulk Packaging	\$ 0.00

# VX-P920 Series

## P25 Portables

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-P920 Series portable models packages can include:**

- FNB-V128LI-UNI 2300 mAh Li-Ion Battery
- VAC-UNI Universal Rapid Charger (Components: CD-58 & PA-55)
- Antenna Option
- Standard 3 Year Warranty

**Radio Features:**

- 512 Channels/32 Groups (W/LCD) 48 Channels (w/o LCD)
- 12 Character Alpha Numeric Display/Full Keypad
- RSSI & Battery Life Indicator\* (Excludes VX-P921)
- Loud 700 mW Audio Output
- 8 Programmable Keys (P924), 10 Programmable Keys (P929)
- IP57 Submersibility Rating
- MIL-STD C/D/E/F

**Analog Only Features:**

- CTCSS/DCS Encode and Decode
- DTMF ANI / Optional DTMF Paging
- Audio Compressor
- 2-Tone Encode & Multi 2-Tone Decode
- Lone Worker
- ARTS™ (Auto-Range Transpond System)
- Clear Voice
- BCLO, BTLO and TOT Functions
- TX/RX Battery Save

- User Selectable Tone\* (Not available on P921)
- MDC-1200 Encode (PTT ID, Emergency ID)

**Analog Mode and P25 Digital Conventional Mode:**

- Emergency Feature
- Versatile Scanning (Priority Scan, Dual Watch, Follow-Me Scan, Follow Me-DW and TA Scan)
- AF Minimum Volume
- Direct Channel Recall \*(Excludes VX-P921)
- User Set Mode\* (Excludes VX-P921)

**P25 Digital Conventional Mode Only:**

- AMBE+2™ Vocoder
- NAC (Network Access Code)
- Talk Group ID
- Individual ID Lists \*(Excludes VX-P921)
- Caller ID Display \*(Excludes VX-P921)
- RSSI Audible Alert
- Mixed Mode
- BCLO and TOT
- Optional AES/DES Encryption



**VX-P924**

**VX-P929**

**Recommended Accessories:**

**Speaker Microphones**

- MH-50D7A Noise Canceling Speaker Microphone
- MH-66A IP57 Submersible Speaker Microphone
- MH66-B7A IP57 Submersible with PF Key and Toggle

**Headsets and Surveillance**

- VH-111 Heavy Duty Over the Head Headset
- VH-121 3-Wire Earpiece, Mic w/Palm PTT-Switch
- VH-131 2-Wire Earpiece, Palm Mic/PTT Combo

**Multi-Unit Chargers**

- VAC-6058 120/240V 6 Unit Rapid Charger

**Carry Cases**

- LCC-920S Leather Case w/Swivel and Belt Loop
- LCC-920S/TT Leather Case w/Swivel and Keypad Opening

**Cancellation Notice**

As of 5/1/17, the VX-P920 series has been announced for cancellation. The last order date is 6/30/17. Any inventory left after 6/30/17 will be available on a first come, first serve basis. For additional details, please refer to VSOL > Resource Center > Product Information > Cancellations.

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-P924 Radio Models</b>						
380-450 MHz	UHF	1-5W	512	AC033U242-VX	VX-P924-G8-5	\$ 1,959.53
450-512 MHz	UHF	1-5W	512	AC033U227-VX	VX-P924-G7-5	\$ 1,959.53
<b>VX-P929 Radio Models</b>						
134-174 MHz	VHF	1-5W	512	AC033N220-VX	VX-P929-D0-5	\$ 2,047.70
380-450 MHz	UHF	1-5W	512	AC033U243-VX	VX-P929-G8-5	\$ 2,157.91
450-512 MHz	UHF	1-5W	512	AC033U228-VX	VX-P929-G7-5	\$ 2,157.91

FCC INFORMATION: K6610333020 (134-174 MHz) / K6610334620 (403-470 MHz) / K6610334720 (450-512 MHz)

**VX-P920 Series****P25 Portables**

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

<b>Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP</b>
---

**Battery Choices:**

STDBAT0868AC	ADD: STD BATTERY FNB-V128LI-UNI 2300 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ 0.00
QA03902AA	ADD: FNB-V127LI-UNI 1380 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ (16.48)
QA04398AA	ADD: FNB-V129LI-UNI 3000 mAh Li-Ion Battery (Uses VAC-UNI Charger)	\$ 61.80
QA04972AA	ADD: FNB-V129LIIS 3000 mAh Intrinsically Safe Li-Ion Battery (Uses VAC-UNI Charger)	\$ 121.89
QA02488AA	ADD: FNB-V87LIA 2300 mAh Li-Ion Battery (Uses VAC-921 Charger)	\$ 8.58
QA02659AA	ADD: FNB-V86LIA 1380 mAh Li-Ion Battery (Uses VAC-921 Charger)	\$ (7.90)
QA02660AA	ADD: FNB-V92LI 3000 mAh Li-Ion Battery (Uses VAC-921 Charger)	\$ 70.38

**Charger Choices:**

STDCHG0868AA	ADD: VAC-UNI 120V Standard Charger (Use with FNB-V127LI, FNB-V128LI, FNB-V129LI-UNI)	\$ 0.00
QA03678AA	ADD: VAC-UNI 240V EU Charger (Use with FNB-V127LI, FNB-V128LI, FNB-V129LI-UNI)	\$ 0.00
QA02742AA	ADD: VAC-921B 120V Rapid Rate Charger (Use with FNB-V86LIA, FNB-V87LIA, FNB-V92LI, FNB-V92LIIS)	\$ 8.58
QA02743AA	ADD: VAC-921C 240V Rapid Rate Charger (Use with FNB-V86LIA, FNB-V87LIA, FNB-V92LI, FNB-V92LIIS)	\$ 8.58
QA02481AA	DELETE: Charger	\$ (37.08)

**Antenna Choices:**

QA02616AA	ADD: ATV-8A 134-150 MHz Antenna	\$ 0.00
QA02458AA	ADD: ATV-8B 150-162 MHz Antenna 6"	\$ 0.00
QA03017AA	ADD: ATV-6B 150-162 MHz Antenna 3.5" **Reduced Range Performance**	\$ 0.00
QA02457AA	ADD: ATV-8C 162-174 MHz Antenna 6"	\$ 0.00
QA03016AA	ADD: ATV-6C 162-174 MHz Antenna 3.5" **Reduced Range Performance**	\$ 0.00
QA02684AA	ADD: ATV-6XL VHF Untuned Antenna	\$ 0.00
QA02621AA	ADD: ATU-6A 400-430 MHz Antenna (For G6 Models)	\$ 0.00
QA02617AA	ADD: ATU-6A 400-430 MHz Antenna (For G8 Models)	\$ 0.00
QA02624AA	ADD: ATU-6D 450-485 MHz Antenna 6"	\$ 0.00
QA02615AA	ADD: ATU-6DS 450-485 MHz Antenna 3.5"	\$ 0.00

**General Options:****Speaker Microphone Choices:**

QA13965AA	ADD: MH-50D7A Public Safety Speaker Microphone	\$ 96.82
QA13966AA	ADD: MH-66A7A Submersible NC Speaker Microphone	\$ 94.76
QA13967AA	ADD:MH-66B7A Submersible Speaker Microphone	\$ 185.40

**Programming Option: \*\*Encryption options are factory installed\*\***

QA02502AA	ADD: AES/DES Encryption Programming	\$ 550.00
QA02724AA	ADD: Customer Codeplug Factory Programming	\$ 50.00

**Shipping Option:**

STDBOX0868AA	Standard Packaging	\$ 0.00
QA03060AA	ADD: Bulk Packaging	\$ 0.00

## Vertex Standard P25 Portable Accessories

Date 7/11/2017

**MSRP**

VX-P820 VX-P920	Model Number	Description	MSRP
<b>Alignment / Service Related</b>			
X	X	AAD94X001 CT-110 Firmware writing cable (For use with the FIF-8)	\$ 66.95
<b>Alkaline Battery Cases</b>			
X	X	AAE11X002 FBA-34 Alkaline Battery Case VX-820/920 series	\$ 46.35
<b>Antennas</b>			
X	X	XUCET0010 ATU-6A 400-430 MHZ / Brown / 6.5" / VX10UA/600/800/900	\$ 14.42
X	X	XUCET0011 ATU-6AS Antenna 410-430 MHZ / 3.5"	\$ 13.39
X	X	XUCET0012 ATU-6D 450-485 MHZ / Red / 6" / VX-10/160/180/210/400/600/800/900	\$ 14.42
X	X	XUCET0013 ATU-6DS Antenna 450-485 MHZ / 3.5"	\$ 14.42
X	X	XUCET0033 ATV-10A High Gain Antenna, 145-155MHz (Red) / 10.5"	\$ 16.48
X	X	XUCET0034 ATV-10B High Gain Antenna, 150-160MHz (Brn) / 10.5"	\$ 16.48
X	X	XUCET0035 ATV-10C High Gain Antenna, 155-165MHz (Blk) / 10.5"	\$ 16.48
X	X	XUCET0036 ATV-10E High Gain Antenna, 165-175MHz (Org) / 10.5"	\$ 16.48
X	X	XUCET0019 ATV-6A Antenna 134-151 MHz / 4"	\$ 13.39
X	X	XUCET0020 ATV-6B Antenna 150-163 MHz / 3.5"	\$ 15.45
X	X	XUCET0021 ATV-6C Antenna 161-174 MHz / 3.5"	\$ 13.39
X	X	XUCET0022 ATV-6XL Untuned VHF Antenna 7"	\$ 14.42
X	X	XUCET0023 ATV-8A Antenna 134-150 MHz / Sable / 6"	\$ 14.42
X	X	XUCET0024 ATV-8B Antenna 150-163 MHz / Sable / 6"	\$ 14.42
X	X	XUCET0025 ATV-8C Antenna 162-174 MHz / Sable / 6"	\$ 14.42
X	X	AAE64X001 ATW-1A Dual-band antenna for multi-band Rx: 134-151MHz / 450-520MHz	\$ 28.84
X	X	AAE64X002 ATW-1B Dual-band antenna for multi-band Rx: 150-163MHz / 450-520MHz	\$ 28.84
X	X	AAE64X003 ATW-1C Dual-band antenna for multi-band Rx: 161-174MHz / 450-520MHz	\$ 28.84
<b>Batteries</b>			
X	X	AAD83X021 FNB-V87LIA 7.4V 2300mAh Li-ion Battery	\$ 90.98
X	X	AAD82X021 FNB-V86LIA 7.4 V 1380mAh Li-ion Battery	\$ 74.50
X	X	AAJ62X001 FNB-V128LI-UNI 2300 mAh Li-Ion Battery (VAC-UNI Charger)	\$ 82.40
X	X	AAJ61X001 FNB-V127LI-UNI 1380 mAh Li-Ion Battery (VAC-UNI Charger)	\$ 65.92
X	X	AAJ63X001 FNB-V129LI-UNI 3000 mAh Li-Ion Battery (VAC-UNI Charger)	\$ 144.20
X	X	AAL73X001 FNB-V129LIIS 3000 mAh Li-Ion Battery, Intrinsically Safe (VAC-UNI Charger)	\$ 164.80
<b>Belt Clips</b>			
X	X	AAE85X001 CLIP17-A Swivel Belt Clip	\$ 16.48
X	X	AAE85X002 CLIP17-B Swivel Belt Clip	\$ 16.48
X	X	AAE52X001 CLIP-820 Belt Clip for the VX-820 Series (TM)	\$ 10.30
X	X	AAE51X001 CLIP-920 Belt Clip for the VX-920 Series (TM)	\$ 10.30
<b>Cases</b>			
X	X	XUBEE0048 LCC-820 Leather case with Belt Loop	\$ 32.96
X	X	XUBEE0069 LCC-820H Leather case with belt loop. For use with VX-821/P821 and FNB - V92LI ( and IS ) battery	\$ 32.96
X	X	XUBEE0073 LCC-820H/TT Leather case with belt loop. For use with VX-829/P829 and FNB-V92LI (and IS) battery	\$ 32.96
X	X	XUBEE0046 LCC-820S Leather Case with Swivel and Belt Loop	\$ 43.26
X	X	XUBEE0047 LCC-820S/TT Leather Case w/Swivel, Belt Loop and Keyboard Opening	\$ 43.26
X	X	XUBEE0068 LCC-820SH Leather case with D Swivel. For use with VX-821/P821 and FNB - V92LI ( and IS ) battery	\$ 43.26
X	X	XUBEE0072 LCC-820SH/TT Leather case with D swivel. For use with VX-829/P829 and FNB - V92LI ( and IS ) battery	\$ 43.26
X	X	XUBEE0075 LCC-920H Leather case with belt loop.For use with VX-921/P921 and FNB - V92LI ( and IS ) battery	\$ 32.96
X	X	XUBEE0079 LCC-920H/TT Leather case with belt loop. For use with VX-929/P929 and FNB - V92LI ( and IS ) battery	\$ 32.96

## Vertex Standard P25 Portable Accessories

Date 7/11/2017

**MSRP**

VX-P820	VX-P920	Model Number	Description	MSRP
<b>Cases (Continued)</b>				
X	X	XUBEE0049	LCC-920S Leather Case with Swivel and Belt Loop	\$ 42.36
X	X	XUBEE0050	LCC-920S/TT Leather case w/ Swivel Clip and Keyboard Cut-Out	\$ 43.26
X	X	XUBEE0074	LCC-920SH Leather case with D Swivel. For use with VX-921/P921 and FNB - V92LI ( and IS) battery	\$ 43.26
X	X	XUBEE0078	LCC-920SH/TT Leather case with D swivel. For use with VX-929/P929 and FNB - V92LI ( and IS ) battery	\$ 43.25
X	X	XUBEE0051	LCC-920TT Leather Case w/Belt Loop and Keypad Cut-out	\$ 32.96
<b>Chargers</b>				
X	X	XUAAK44X001	VAC-6058 120V MUC FOR UNI LIION BATTERY	\$ 463.50
X	X	XUAAK44X002	VAC-6058 220V EU MUC FOR UNI LIION BATTERY	\$ 463.50
X	X	XUAAE45X00101	VAC-921B 120 VAC Desktop Rapid charger	\$ 74.50
X	X	XUAAE45X00102	VAC-921C 240 VAC Desk top rapid charger	\$ 74.50
X	X	XUAAJ72X001	VAC-UNI-B 120V US Universal Charger (For use with -UNI batteries)	\$ 37.08
X	X	XUAAJ72X002	VAC-UNI-C 220V EU Universal Charger (For use with -UNI batteries)	\$ 37.08
X	X	AAF15X001	VCM-2 Vehicular Charger Mounting Adapter Kit for VAC-920 & VAC-300	\$ 61.80
X	X	AAK45X001	VCM-5 Vehicle Charger Mounting Adapter – UNI Charger/Batteries Only	\$ 74.16
<b>Headsets and Surveillance</b>				
X	X	AAE72X001	VH-111 Heavy Duty, Dual Muff, Over the head style, with Boom Mic	\$ 412.00
X	X	AAG49X003	VH-215L Headset	\$ 119.17
<b>Programming and Installation</b>				
X	X	AAD92X001	CT-108 PC programming cable (for use with the FIF-12 USB Interface)	\$ 66.95
X	X	AAE50X001	CT-116 Radio to Radio Programming Cable	\$ 66.95
X	X	AAF83X001	CT-127 Keyloader adapter cable for VX-P820/870 & VX-P920/970 series P25 radios with encryption option. Required CT-129 or Motorola TKN8531C.	\$ 51.50
X	X	XUMOT0001	CT-129 Keyloader interface cable for KVL-3000+. Use with either CT-127 (for portables) or CT-128 (for mobiles) for programming encryption keys into radio.	\$ 204.97
X	X	AAJ23X001	FIF-12 USB Interface for PC programming. Check specific models for additional cable pigtails. Pigtails not included.	\$ 154.50
<b>Speaker Microphones</b>				
X	X	AAA75X004	MH-50D7A Public Safety Speaker Microphone w/toggle, MIL-STD Rated	\$ 96.82
X	X	AAE46X001	MH-66A7A Submersible Noise Canceling Speaker Microphone	\$ 94.76
X	X	AAE46X002	MH-66B7A Submersible Speaker Microphone with 2 Programmable Function keys and Audio Attenuator Switch.	\$ 185.40

# VX-7200 Series

## P25 Mobiles

P25 UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**VX-7200 mobile models include:**

- MH-67A8J Standard Microphone
- Standard 3 Year Warranty



**VX-7200**

**Radio Features:**

- 8 Channels/ 1 Group VX-7100
- 501 Channels/ 32 Groups VX-7200
- 12 Character, 7 Segment 3 Char. Large LCD (7200 only)
- 3 Programmable Keys (7100)/5 Keys (7200)
- D-Sub 15 Pin Accessory Connector
- MIL-STD 810 C/D/E/F

**Analog Only Features:**

- DTMF ANI/DTMF Paging\* (Paging only on VX-7200)
- 2-Tone Encode and Multi-2-Tone Decoding
- CTCSS/DCS Encode and Decode
- BCLO, BTLO and TOT Functions
- User Selectable Tone\* (Only on VX-7200)
- ARTS™ (Auto-Range Transpond System)
- Audio Compander

**Analog and P25 Digital Mode:**

- Minimum Volume
- Built In Emergency Microphone
- Public Address/Horn Alert
- Emergency Feature
- Group Scan/Priority Scan

**P25 Digital Mode Only:**

- P25 Digital Conventional Only
- AMBE+2™ Vocoder
- NAC (Network Access Code)
- Talk Group ID
- Individual ID lists (VX-7200 only)
- Caller ID Display (VX-7200 only)
- RSSI Audible Alert
- Mixed Mode
- BCLO and TOT
- Optional AES/DES Encryption

**Recommended Accessories:**

**Microphone**

- MD-12A8J Desktop Microphone
- MH-75A8J DTMF Microphone
- MH-67A8J Standard Microphone
- MH-53A8J Heavy Duty Microphone

**External Speaker**

- MLS-100 12W External Speaker
- MLS-200 Waterproof External Speaker (12 Watt Peak)

**Cancellation Notice**

As of 5/1/17, the VX-7200 series has been announced for cancellation. The last order date is 6/30/17. Any inventory left after 6/30/17 will be available on a first come, first serve basis. For additional details, please refer to VSOL > Resource Center > Product Information > Cancellations.

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VX-7200 Series Radio Models</b>						
134-174	VHF	50W	512	AC060N002-VX	VX-7200-D0-50 134-174 50W	\$ 2,065.34
450-512	UHF	45W	512	AC060U002-VX	VX-7200-G7-45 450-512 45W	\$ 2,175.55
380-450	UHF	45W	512	AC060U004-VX	VX-7200-G8-45 380-450 45W	\$ 2,175.55

FCC INFORMATION: K6610603040 (134-174 MHz) / K6610604840 (403-470 MHz) / K6610604740 (450-512 MHz)

# VX-7200 Series

## P25 Mobiles

P25 UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP

**Microphone Choices:**

QA02644AA	ADD: Mic MH-67A8J	\$ 0.00
QA02637AA	ADD: DTMF Mic MH-75A8J	\$ 15.45

**General Options:**

**Programming Option: \*\*Encryption options are factory installed\*\***

QA02722AA	ADD: AES/DES Encryption Programming	\$ 550.00
QA02723AA	ADD: Customer Codeplug Factory Programming	\$ 50.00

## Vertex Standard P25 Mobiles Accessories

Date 7/11/2017

**MSRP**

VX-7200	Model Number	Description	MSRP
<b>DC Cables</b>			
X	AAE06X001	E-DC-22 30 ft DC cable for VX-4000/-5500 mobiles	\$ 82.40
<b>DC Noise Filters</b>			
X	A09120001	LF-1 Plug-In Line Filter	\$ 36.05
<b>Microphones</b>			
X	AAF13X001	MD-12A8J Desktop Microphone	\$ 105.06
X	AAG22X101	MH-75A8J DTMF Microphone	\$ 56.65
X	AAE60X102	MH-67A8J Standard Microphone	\$ 41.20
X	AAB02X008	MH-53A8J Heavy Duty Microphone	\$ 154.50
<b>Mounting Brackets</b>			
X	AAD48X001	MMB-85 Quick Release Mobile Bracket for VX-4100/4200	\$ 77.25
<b>Power Supply</b>			
X	XUSLX0001A	SEC-1223 Desktop Switching Power Supply 120 VAC	\$ 223.39
<b>Programming and Installation</b>			
X	AAD66X002	CT-104A Interface Cable for FIF-12	\$ 41.20
X	AAF84X001	CT-128 Keyloader adapter cable for VX-7100 & VX-7200 series P25 mobile radios with encryption option. Required CT-129 or Motorola TKN8531C.	\$ 51.50
X	XUMOT0001	CT-129 Keyloader interface cable for KVL-3000+. Use with either CT-127 (for portables) or CT-128 (for mobiles) for programming encryption keys into radio.	\$ 204.97
X	AAJ23X001	FIF-12 USB Interface for PC programming. Check specific models for additional cable pigtails. Pigtails not included.	\$ 154.50
X	A06420002	VX-VPL-1 Programming cable from PC. Check specific models for additional cable pigtails.	\$ 89.61
<b>Speaker</b>			
X	A09260003	MLS-100 External Speaker (12 Watt Peak)	\$ 63.86
X	AAD49X001	MLS-200 Waterproof External Speaker (12 Watt Peak)	\$ 82.40



# VX-1700 Series

## HFSSB

Single Side Band

**VX-1700 mobile models include:**  
**MH-31A8J - Standard Microphone**  
**Standard 3 Year Warranty**



**VX-1700**

**Radio Features:**

- 200 Memory Channels (arranged in 5 banks)
- Four Programmable Keys
- Alphanumeric Labeling of Memory Channels
- A1A (CW), J3E (LSB/USB), A3E (AM), J2B (USB/LSB)
- Flexible calling options: SELCALL, TELCALL, Message Call,
- Dual Watch Operation
- VOX
- Noise Blanker
- Dimmer Function
- CW Side Tone Function
- CW Semi-break-in
- PC Programmable
- MIL-STD 810 D/E/F
- Optional Mobile Antenna
- ALE Operation (Requires ALE-1 unit Option)
- Power Output:

125W (A1A, J2B, J3E @ 1.6000 ~ 3.9999 MHz)  
 100W (A1A, J2B, J3E @ 4.0000 ~ 30.000 MHz)  
 31W (A3E @ 1.6000 ~ 3.9999 MHz)  
 25W (A3E @ 4.0000 ~ 30.000 MHz)

**Recommended Accessories:**

- Power Supply**  
FP-1030A 30A Power Supply 110V
- Microphone**  
MD-100A8X Desktop Microphone  
MH-31A8J Dynamic Hand Microphone  
MD-12A8J Desktop Microphone
- Speaker**  
MLS-100 External Speaker (12W)  
MLS-200 Waterproof External Speaker (12 Watt Peak)

PRODUCT DETAILS		NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL
<b>VX-1700 Radio Model</b>				
1.6-30 MHz	Low Band	125W	200	AC051H003-VX   VX-1700-A0-125
				\$ 1,318.81

FCC INFORMATION: K6610511070

OPTION SELECTION	DESCRIPTION	MSRP
<b>Programming Option:</b> QA02723AA	ADD: Customer Codeplug Factory Programming	\$ 50.00

## Vertex Standard HFSSB Accessories

Date 7/11/2017

**MSRP**

VX-1700	Model Number Description		MSRP
<b>Antennas</b>			
X	D8000240	YA-007FG HF Multiband Mobile Antenna 7-30 MHz (Requires FC-40)	\$ 222.48
X	A00590003	YA-30 Broadband T2FD Dipole Base Station Antenna 77ft	\$ 380.07
X	AAF76X001	YA-31 Broadband HF Antenna 49 ft.	\$ 396.55
<b>HF Antenna Tuners</b>			
X	AAC86X002	FC-30 Automatic Antenna Tuner (For coaxial lines)	\$ 244.11
X	AAD77X002	FC-40 The FC-40 is a new, wide-range Antenna Coupler for the FT-450, FT-857, and FT-	\$ 424.36
<b>Microphones</b>			
X	A06880001	MD-100A8X Desktop Microphone	\$ 189.26
X	A06870001	MH-31A8J Dynamic Hand Microphone	\$ 55.62
X	AAF13X001	MD-12A8J Desktop Microphone	\$ 105.06
<b>Mounting Brackets</b>			
X	AAE67X001	MMB-89 One-Touch Mobile Bracket	\$ 46.35
<b>Power Supply</b>			
X	A12510002	FP-1030A 30A Power Supply 110V	\$ 355.58
<b>Programming and Installation</b>			
X	A13860001	CT-62 Programming Cable	\$ 41.20
<b>Signaling</b>			
X	AAE56X001	ALE-1 Automatic Link Establishment Unit	\$ 721.00
<b>Speaker</b>			
X	A09260003	MLS-100 External Speaker (12 Watt Peak)	\$ 63.86
X	AAD49X001	MLS-200 Waterproof External Speaker (12 Watt Peak)	\$ 82.40

# VXR-1000 Series

## Repeaters/Base Stations

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog



**VXR-1000**

**Repeater Features:**

- 16 Channels
- D-sub 9 pin connector
- 5W Power Output
- 12.5/25 kHz Bandwidth (Programmable by Channel)
- CTCSS/DCS Encode & Decode
- ARTS™ (Auto Range Transponder System)
- Command Control (Allows repeater to talk directly with Portable)
- Built In Voice Inversion Encryption (Allows Secure voice between VXR-1000 and Portable)
- Local Volume Control (Requires External Speaker)
- First on Scene Logic with Priority Sampling
- Compatible with Most Popular Trunking Protocols
- Compatible with Most Low Band, VHF and UHF Systems
- PC Programmable
- MIL-STD 810 C/D/E

**Recommended Accessories:**

**Microphone**

MH-67A8J Standard Microphone

**Speaker**

MLS-100 External Speaker (12W)

MLS-200 Waterproof External Speaker (12 Watt Peak)

**Cancellation Notice**  
 Effective upon depletion of inventory, the VXR-1000 series will no longer be available for purchase. For additional details, refer to VSOL > Resource Center > Product Information > Cancellations.

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VXR-1000 Series Repeater Models</b>						
150-174 MHz	VHF	5W	16	A13710001-VX	VXR-1000V	\$ 616.97
450-470 MHz	UHF	5W	16	A13370001-VX	VXR-1000U	\$ 616.97

# VXR-7000 Series

## Repeaters/Base Stations

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog



### VXR-7000

**Repeater Features:**

- 16 Channel Synthesized
- 8 Character ANI / ENI ID Display
- 47 CTCSS / 108 DCS Encode / Decode
- 5-Tone Encode / Decode
- Multi-Tone Decode
- DTMF Encode / Decode
- D-Sub 25 pin accessory connector
- 10 to 50W Power Output (100% Duty)
- CW Transmitter ID (Dealer Programmed)
- 12.5/25 kHz Bandwidth Prog 16 Tones/Codes
- Time-Out Timer, Hang Timer, Guard Timer (Dealer Programmed)
- Busy Channel Lockout (BLCO)
- Busy Tone Lockout (BTLO)
- Selectable Repeater Mode or Base Transceiver Mode
- Selectable Local Mode or Remote Mode
- AC Power Supply Voltage Selection (115/230 VAC <math>\pm 10\%> Dealer Selectable)
- Automatic DC Power Supply Backup
- Optional Internal Duplexer (Limit 40W)
- PC Programmable
- ACC Connector Port & Line Interface Port
- Optional VX-Trunk Operational

**Recommended Accessories:**

**Microphone**

- MH-67A8J Standard Microphone
- MD-12A8J Desktop Microphone

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VXR-7000 Repeater Models</b>						
136-150 MHz	VHF	50W	16	A13670012-VX	VXR-7000VA	\$ 1,648.00
150-174 MHz	VHF	50W	16	A13670010-VX	VXR-7000VC	\$ 1,699.50
400-430 MHz	UHF	50W	16	A13680004-VX	VXR-7000UA	\$ 1,699.50
450-480 MHz	UHF	50W	16	A13680014-VX	VXR-7000UD	\$ 1,699.50

FCC INFORMATION: K66VXR-7000VC (134-174 MHz) / K66-VXR7000U (400-480 MHz)

# VXR-9000 Series

## Repeaters/Base Stations

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog



### VXR-9000

**Repeater Features:**

- 32 Channels
- 47 CTCSS / 109 DCS Encode / Decode
- 6 Dual Functioning Programmable Front Panel Keys
- 50W or 25W Power Output
- 100W Power Amplifier Unit (Optional)
- PLL Step Sizes: 2.5/5.0/6.25 kHz
- Low Level and High Level Encryption Options
- CTCSS Reverse Burst with Programmable Length
- 3.15" Square Cooling Fan with "Malfunction" Sensor Output
- Multi-Tone Decode
- 5-Step Command Sequence for Startup,  
Power Source: Main to Sub, and Sub to Main
- CW ID and CW Messages Selected by Trigger
- Coaxial relay Drivers for Single Antenna Operation; Also TX Attenuator
- Programmed Message Banks for Maintenance Logs or Any Other Free Text
- Repeater Occupation Settings to Hold the Last Tone Code (Preset Timer)
- Built In Audio Voice Companding Unit
- Channel Scanning With Priority Channel
- Automatic DC Backup Switching with Alert
- Optional Built In Power Supply Unit FP-31
- D-sub 25 pin accessory connector
- EIA rack mount size

**Recommended Accessories:**

- Microphone**  
 MD-12A8J Desktop Microphone  
 MH-67A8J Standard Microphone
- Power Supply**  
 FP-31 Internal Power Supply\*  
*\*Required for all 50W models*  
 FP-1030A External Power Supply

PRODUCT DETAILS	NEW MODEL	PREVIOUS MODEL	MSRP
-----------------	-----------	----------------	------

BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>VXR-9000 Repeater Models</b>						
134-160 MHz	VHF	50W	32	<b>AC044N004-VX</b>	VXR-9000VA	\$ 1,436.85
148-174 MHz	VHF	50W	32	<b>AC044N006-VX</b>	VXR-9000VC	\$ 1,436.85
400-430 MHz	UHF	50W	32	<b>AC044U006-VX</b>	VXR-9000UA	\$ 1,539.85
450-490 MHz	UHF	50W	32	<b>AC044U008-VX</b>	VXR-9000UD	\$ 1,539.85

FCC INFORMATION: K6610443240 (134-174 MHz) / K6610444140 (403-430 MHz) / K66VXR-9000U (450-490 MHz)

Date 7/11/17

MSRP

# VXR-9000 Series

## Repeaters/Base Stations

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

OPTION SELECTION	DESCRIPTION	MSRP
------------------	-------------	------

**Options: TO COMPLETE AN ORDER YOU MUST MAKE ONE (1) CHOICE PER EACH STEP**

**Programming Option:**

QA02725AB	ADD: 100W POWER AMPLIFIER for VXR-9000VC	\$ 1,949.79
QA02725AA	ADD: 100W POWER AMPLIFIER for VXR-9000UD	\$ 2,001.29

# EVX-R70 Series Repeaters/Base Stations

UHF / VHF Models, 12.5 kHz / 6.25 kHz<sup>e</sup>, Analog/Digital



## EVX-R70

**Repeater Features:**

- Digital or Analog Operation
- Dynamic Mixed Mode
- DMR Standard TDMA 6.25 kHz Efficient
- 25W - 45W Power Output
- 136-174 MHz VHF, 403-470 MHz UHF, 450-512 MHz UHF
- 16 Channels
- EIA Rack Mount Size
- AMBE+2™ Digital Vocoder
- 26 Pin Accessory Connector
- Multicolored LED Status Indicator

PRODUCT DETAILS				NEW MODEL	PREVIOUS MODEL	MSRP
BAND SPLIT	BAND	PWR	CHAN	CATALOG MODEL		
<b>EVX-R70 Repeater Models</b>						
136-174	VHF	45W	16	<b>AC103N002-VX</b>	EVX-R70-D0-45	\$ 2,618.26
403-470	UHF	40W	16	<b>AC103U004-VX</b>	EVX-R70-G6-40	\$ 2,618.26
450-512	UHF	40W	16	<b>AC103U006-VX</b>	EVX-R70-G7-40	\$ 2,618.26

FCC INFORMATION: AXI11033040 (136-174 MHz) / AXI11034640 (403-470 MHz) / AXI11304740 (450-512 MHz)

# EVX-Link

## Repeaters/Base Stations

UHF / VHF Models, 12.5 kHz / 25 kHz, Analog

**EVX-Link include:**

EVX-Link to EVX Mobile Interface Cable  
Standard 3 Year Warranty



**EVX-Link**

**EVX-Link Features**

- Connect up to 30 DMR Sites
- No Repeater Requirements
- Compact and Discreet
- Simple Installation
- Compatible with all frequency bands and DMR manufactured products
- Versatile Coverage

**EVX-Link DMR Compatible Features**

- All Call, Group Call, Private Call
- PTT ID
- Call Alert
- Remote Monitor
- Text Messaging
- Emergency Calls
- Stun/Revive
- Site Search Supported

PRODUCT DETAILS		MSRP
-----------------	--	------

<b>EVX-Link</b>		
AAL90X001	EVX-Link (mobile and power supply sold separately)	\$ 824.00



## Vertex Standard Repeaters/Base Station Accessories

Date 7/11/17

MSRP

BSC-5000	VXR-1000	VXR-7000	VXR-9000	EVS-R70	Model Number	Description	MSRP
<b>Duplexers</b>							
		X	X		XUFIP0001	VXD-60UD 50 Watt Internal Duplexer, UHF 440-470 MHz *Note: Compatible with the VXR-9000 however it can not be installed and must be used separately	\$ 422.30
		X	X		XUFIP0002	VXD-60VC 50 Watt Internal Duplexer, VHF 148-160 MHz *Note: Compatible with the VXR-9000 however it can not be installed and must be used separately	\$ 422.30
<b>Microphones</b>							
	X				AAB02X008	MH-53A8J HEAVY DUTY MICROPHONE	\$ 154.50
X		X	X		AAF13X001	MD-12A8J Desktop Microphone	\$ 105.60
	X	X	X		AAE60X102	MH-67A8J Standard Microphone	\$ 41.20
<b>Misc.</b>							
			X		AAC95X001	FIF-9 The FIF-9 is an interface unit which allows remote control of the VXR-9000 repeater via a 4-line or 8-line cable	\$ 149.35
				X	AAH39X001	WMB-1 Wall mount kit	\$ 152.78
		X			AAA69X001	MR-3 4U HIGH 19 INCH WIDE MOUNT KIT	\$ 226.60
			X		AAH36X001	CT-149 Mobile Rear Accy Connector Universal Cable	\$ 30.90
			X		AAH40X001	E-DC-29 Battery backup cable	\$ 68.67
<b>Power Supply</b>							
			X		AAC96X001	FP-31 POWER SUPPLY Internal power supply for the VXR-9000 rack mount	\$ 306.94
<b>Programming and Installation</b>							
		X	X		AAD66X002	CT-104A Interface Cable for FIF-12	\$ 41.20
		X			AAA21X001	CT-68 Duplexer Installation Kit	\$ 64.89
			X		AAH43X001	CT-151 Programming cable rear accessory connector	\$ 48.41
		X	X		AAJ06X001	FRB-6 Tuning Interface (Requires Connection Cable)	\$ 350.20
		X	X		AAJ07X001	CT-159 Connection Cable (Requires FRB-6)	\$ 60.09
		X	X		AAJ23X001	FIF-12 USB Interface for PC programming. Check specific models for additional	\$ 154.50
	X	X	X		A06420002	VX VPL-1 Programming cable from PC. Check specific models for additional cable	\$ 89.61
<b>Remote Cable</b>							
X					AAD60X001	CT-103 Cable for connection to tone panel	\$ 101.97
<b>RF Power Amplifiers</b>							
			X		AAE21U001	VPA-9000UD Power amplifier kit, UHF 450-490MHz (FOR 100 WATT OPTION	\$ 1,946.70
			X		AAE21N001	VPA-9000VC Power amplifier kit, VHF 148-174MHz (FOR 100 WATT OPTION	\$ 1,895.20
<b>Signaling</b>							
			X		A12760001	FVP-25 Encryption Unit (Band Inversion Type) and DTMF Paging. (requires FIF-7	\$ 61.80
			X		AAF39X001	FVP-35 Plug-in Rolling Code Encryption. Requires FIF-7 if installed into the VX-	\$ 356.38
<b>Speaker</b>							
	X				A09260003	MLS-100 External Speaker (12 Watt Peak)	\$ 63.86
	X				AAD49X001	MLS-200 Waterproof External Speaker (12 Watt Peak)	\$ 82.40

### Vertex Standard Pending Obsolete Accessories

VX-130	VX-160	VX-180	VX-210A	VX-231	VX-350	VX-400	VX-410/420	VX-420A	VX-450/450IS	VX-500/510/520UD/530	VX-600	VX-800	VX-900	VX-820/920/P820/P920	VXD-720	VX-3200	VX-4000	VX-4100/4200	VX-5500/6000	BSC-5000	VX-1210	VX-1700	EVX-530/530IS	Model Number	Description	MSRP
											X		X											<b>Batteries</b>		
																								AAB05X002	FNB-V68LI Battery	\$ 87.55
														X										<b>Cases</b>		
																								AAH24X001	CSC-96 Nylon carry case	\$ 32.62
																								<b>Headsets and Surveillance</b>		
														X										XUOTT0006	VH-131 2 Wire Palm Kit	\$ 192.61
											X	X	X											XUOTT0003	VH-130 2 Wire	\$ 161.71
																								<b>Microphone</b>		
																	X							AAB02X005	MH-53B7A Noise-Canceling Microphone with DTMF keypad	\$ 167.89
																								XUAAF13X00101	MD-12A8J Desktop Microphone w/ Multi Pin Plug	\$ 117.42
																								A08180003	MD-11B8J Base Station mic	\$ 200.85
																								<b>Programming and Installation</b>		
						X		X	X		X	X	X	X	X	X	X	X	X				AAC46X001	FIF-8A Interface Flash ROM Writer	\$ 193.64	

Effective upon depletion of inventory the accessories listed on this page will no longer be available for purchase from Vertex Standard. There is a limited quantity available in the distribution center for purchase, and will be sold on a first come, first serve basis. For questions, please contact Customer Support.

**Vertex Standard**  
**Legacy Model Accessories**

Date #####

MSRP

Model Number	Description	MSRP
<b>Alignment / Service Related</b>		
XURFI0001	CN-3 SMA to BNC Adaptor	\$ 17.30
AAF26X002	CT-124B Firmware Cable. Requires FIF-12A.	\$ 61.80
<b>Alkaline Battery Cases</b>		
A13520003	FBA-25A Alkaline Battery Tray	\$ 20.60
<b>Antennas</b>		
AAB35X001	ATU-1210 Internal antenna tuner for the VX-1210 manpack	\$ 247.20
AAB51X001	FHA-27 10ft. Folding whip HF antenna. Requires GN-1210 adaptor	\$ 370.80
AAB49X001	GN-1210 Goose neck antenna adaptor for the FHA-27	\$ 185.40
A00590003	YA-30 Broadband T2FD Dipole Base Station Antenna	\$ 380.07
AAA04X001	YHA-61 5ft. HF whip antenna	\$ 144.20
AAH26X001	ATU-14A Antenna	\$ 14.42
AAH26X002	ATU-14D Antenna	\$ 14.42
AAH25X001	ATV-15C Antenna	\$ 14.42
XUCET0010	ATU-6A 400-430 MHz / Brown / 6.5"	\$ 14.42
XUCET0011	ATU-6AS Antenna 410-430 MHz / 3.5"	\$ 13.39
XUCET0012	ATU-6D 450-485 MHz / Red / 6" / VX-10/160/180/210/400/600/800/900	\$ 14.42
XUCET0013	ATU-6DS Antenna 450-485 MHz / 3.5"	\$ 14.42
Q3000203	ATU-6F Antenna 490-512 MHz	\$ 14.42
XUCET0033	ATV-10A High Gain Antenna, 145-155MHz (Red) / 10.5"	\$ 16.48
XUCET0034	ATV-10B High Gain Antenna, 150-160MHz (Brn) / 10.5"	\$ 16.48
XUCET0035	ATV-10C High Gain Antenna, 155-165MHz (Blk) / 10.5"	\$ 16.48
XUCET0036	ATV-10E High Gain Antenna, 165-175MHz (Org) / 10.5"	\$ 16.48
XUCET0019	ATV-6A Antenna 134-151 MHz / 4"	\$ 13.39
XUCET0020	ATV-6B Antenna 150-163 MHz / 3.5"	\$ 15.45
XUCET0021	ATV-6C Antenna 161-174 MHz / 3.5"	\$ 13.39
XUCET0022	ATV-6XL Untuned VHF Antenna 7"	\$ 14.42
XUCET0023	ATV-8A Antenna 134-150 MHz / Sable / 6"	\$ 14.42
XUCET0024	ATV-8B Antenna 150-163 MHz / Sable / 6"	\$ 14.42
XUCET0025	ATV-8C Antenna 162-174 MHz / Sable / 6"	\$ 14.42
<b>Batteries</b>		
A12730003	FNB-V57AIS - 7.2V 1250 mAh Intrinsically Safe NiMH Battery	\$ 87.55
AAJ65X001	FNB-V131LI-UNI 1380 mAh Li-Ion (VAC-UNI Charger)	\$ 41.20
AAJ66X001	FNB-V132LI-UNI 2300 mAh Li-Ion (VAC-UNI Charger)	\$ 61.80
AAG40X021	FNB-V103LIA 1380 mAh Li-Ion (VAC-300Charger)	\$ 49.78
AAG41X021	FNB-V104LI 2300 mAh Li-Ion (VAC-300 Charger)	\$ 70.38
AAF21X021	FNB-V96LI 2300 mAh Li-Ion (VAC-300 Charger)	\$ 49.78
AAJ64X001	FNB-V130LI-UNI 2300 mAh Li-Ion (VAC-UNI Charger)	\$ 41.20
AAH23X001	FNB-V116 1300 mAh NiMH Battery	\$ 68.67
AAJ60X001	FNB-V126LI-UNI 2300 mAh Li-Ion Battery (VAC-UNI Charger)	\$ 51.50
AAF06X001	FNB-V94 1800 mAh NiMH Battery	\$ 36.05
A13850011	FNB-29BIS 7.2V 2450MAH NiMH BATTERY	\$ 103.00
<b>Belt Clips</b>		
AAE04X001	BELT CLIP FOR VX-600/800/900	\$ 8.24
AAE85X003	CLIP-17C Belt Clip Lock and Release	\$ 16.48
AAE85X005	CLIP-17E Belt Clip Swivel	\$ 16.48
AAF60X101	CLIP-18 Belt Clip	\$ 10.30
AAH69X001	CLIP-21 Belt Clip	\$ 10.30
<b>Cases</b>		
XUBEE0064	LCC-351 Leather Case with belt loop	\$ 32.96
XUBEE0065	LCC-351S Leather Case with swivel	\$ 43.26
XUBEE0066	LCC-354 Leather Case with belt loop	\$ 32.96
XUBEE0067	LCC-354S Leather Case with swivel	\$ 43.26
XUBEE0038	LCC-410 Leather Case with belt loop (VX-410 Only)	\$ 32.96
XUBEE0039	LCC-410S Leather Case with Swivel (VX-410 Only)	\$ 43.26
XUBEE0040	LCC-420 Leather Case with belt loop (VX-420 Only)	\$ 32.96
XUBEE0041	LCC-420S Leather Case with Swivel (VX-420 Only)	\$ 43.26
<b>Charger</b>		
AAA03X001	CD-17 Rapid charger for the VX-1210 HF Manpack transceiver.	\$ 154.50
AAH27X001	VAC-6030B 120V Multi Unit Charger	\$ 609.42
XUAAF19X10202	VAC-300C Desktop Rapid Charger for VX-351/354, 230VAC (For use with FNB-V103LIA, FNB-V104LIA and FNB-V96LIA only)	\$ 51.84
XUAAJ22X00101	VAC-40B Single Unit Charger	\$ 82.40
XUAAJ58X10101	VAC-20B 120 VAC 3-Hour Desktop Charger (Not recommended for use with Lilon Batteries)	\$ 39.14
XUAAJ58X10102	VAC-20C 230 VAC 3-Hour Desktop Charger (Not recommended for use with Lilon Batteries)	\$ 39.14
XUAAJ72X001	VAC-UNI-B 120V US Universal Charger (For use with -UNI batteries)	\$ 37.08
XUAAJ72X002	VAC-UNI-C 220V EU Universal Charger (For use with -UNI batteries)	\$ 37.08
XUAAJ33X00101	VAC-801B 120 VAC 1-Hour Desktop Charger	\$ 61.80
AAA72X001	VCM-1 Vehicular DC Charger Mounting Adaptor. [Requires a charging base: VAC-801 (CD-45), VAC-810 etc.]	\$ 61.80
AAF15X001	VCM-2 Vehicular Charger Mounting Adapter Kit for VAC-920 & VAC-300	\$ 61.80
AAK45X001	VCM-5 Vehicle Charger Mounting Adapter - UNI Charger/Batteries Only	\$ 74.16
XUAAF61X00101	VAC-6300B 120VAC 6 unit Multi-Rapid Charger w/ US power cable	\$ 463.50
XUAAK44X001	VAC-6058 120V MUC For UNI LIION Battery	\$ 463.50
XUAAK44X002	VAC-6058 220V EU MUC For UNI LIION Battery	\$ 463.50
<b>Control Head</b>		
AAD37X001	CNT-5000 Compact motorcycle control head for VX-4000 & VX-5500 mobiles. Includes CNT-5000 control head, mounting bracket (RA0555300), screw kit (U9900163 qty 2), holder (RA0555400 qty 2) & connection cable (T9207073). External microphone (MH-53A8A) & external speaker (MLS-100 or MLS-200) sold separately	\$ 513.97
<b>Cover Plate</b>		
AAAB27X012	RMK-4000 B Cover plate for the RF Deck in Remote Applications	\$ 66.95
AAAB27X011	RMK-4000 H Cover plate for the Control Head (Includes mounting bracket and hardware)	\$ 108.15
AAAD58X001	RMK-5000B Dedicated Motorcycle Control Head	\$ 184.37
<b>DC Cables</b>		
AAE06X001	E-DC-22 30 ft DC cable	\$ 82.40
XUVTN0001	CT-96PS Ignition Sense Cable	\$ 18.88
<b>DC Noise Filter</b>		
A09120001	LF-1 Plug-In Line Filter	\$ 36.05

